

\$%^STN;highlightOn= ***;highlightOff=*** ;

Connecting via Winsock to STM

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1635KXH

PASSWORD:

VERBALISATION (SINGER 1, 2, 3, OR 4) 1

Welcome to SIN International			
NEWS 1			web Page URLs for STN Seminar Schedule - N. America
NEWS 2			"Ask CAS" for self-help around the clock
NEWS 3	JAN 27		Source of Registration (SR) information in REGISTRY updated and searchable
NEWS 4	JAN 27		A new search aid, the Company Name Thesaurus, available in CA/CAPLus
NEWS 5	FEB 05		German (DE) application and patent publication number format changes
NEWS 6	MAR 03		MEDLINE and LMEDLINE reloaded
NEWS 7	MAR 03		MEDLINE file segment of TOXCENTER reloaded
NEWS 8	MAR 03		FRANCEPAT now available on STN
NEWS 9	MAR 29		Pharmaceutical Substances (PS) now available on STN
NEWS 10	MAR 29		WPI/FV now available on STN
NEWS 11	MAR 29		New monthly current-awareness alert (SDI) frequency in RAPRA
NEWS 12	APR 26		PROMT: New display field available
NEWS 13	APR 26		IFIPAT/IFIUDB/IFICDB: New super search and display field available
NEWS 14	APR 26		LITALERT now available on STN
NEWS 15	APR 27		NLDB: New search and display fields available
NEWS 16	May 10		PROUSDDR now available on STN
NEWS 17	May 19		PROUSDDR: One FREE connect hour, per account, in both May and June 2004
NEWS 18	May 12		EXTEND option available in structure searching
NEWS 19	May 12		Polymer links for the POLYLINK command completed in REGISTRY
NEWS 20	May 17		FRFULL now available on STN
NEWS 21	May 27		STN User Update to be held June 7 and June 8 at the SLA 2004 Conference
NEWS 22	May 27		New UPM (Update Code Maximum) field for more efficient patent SDIs in CAPLus
NEWS 23	May 27		CAPLus super roles and document types searchable in REGISTRY
NEWS 24	May 27		Explore APOLLIT with free connect time in June 2004
NEWS EXPRESS			MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 12:55:07 ON 08 JUN 2004

=> s cytomegalovirus or (herpes simplex) or (varicellar)

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE

Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of

=> b medline caplus lifesci embase uspatfull biosis
COST IN U.S. DOLLARS SINCE FILE TOTAL
FULL ESTIMATED COST ENTRY SESSION
0.42 0.42

FILE 'MEDLINE' ENTERED AT 12:56:01 ON 08 JUN 2004

FILE 'CAPLUS' ENTERED AT 12:56:01 ON 08 JUN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'LIFESCI' ENTERED AT 12:56:01 ON 08 JUN 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'EMBASE' ENTERED AT 12:56:01 ON 08 JUN 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'USPATFULL' ENTERED AT 12:56:01 ON 08 JUN 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 12:56:01 ON 08 JUN 2004
COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC.(R)

=> s cytomegalovirus or (herpes simplex) or (varicellar)
L1 235427 CYTOMEGALOVIRUS OR (HERPES SIMPLEX) OR (VARICELLAR)

=> s 11 and (calpain or e64D) or (z()leu()leu()h)
L2 340 L1 AND (CALPAIN OR E64D) OR (Z(W) LEU(W) LEU(W) H)

=> dup rem 12
PROCESSING COMPLETED FOR L2
L3 323 DUP REM L2 (17 DUPLICATES REMOVED)

=> s 11 and ((calpain or e64D) or (z()leu()leu()h))
L4 335 L1 AND ((CALPAIN OR E64D) OR (Z(W) LEU(W) LEU(W) H))


=> dup rem 14
PROCESSING COMPLETED FOR L4
L5 321 DUP REM L4 (14 DUPLICATES REMOVED)

=> s 15 and PY<2000
3 FILES SEARCHED...
L6 26 L5 AND PY<2000

=> d 16 ibib abs tot

L6 ANSWER 1 OF 26 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1999:723196 CAPLUS
DOCUMENT NUMBER: 131:333006
TITLE: Production of recombinant replication-deficient viral
vectors encoding exogenous transgenes via
microcarrier-based process
INVENTOR(S): Giroux, Daniel D.; Goudreau, Ann M.; Ramachandra,
Muralidhara; Shabram, Paul W.
PATENT ASSIGNEE(S): Canji, Inc., USA
SOURCE: PCT Int. Appl., 32 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9957297	A1	19991111	WO 1999-US9813	19990504 <--
W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MD, MG, MK, MN, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 5994134	A	19991130	US 1998-73076	19980504 <--



AU 9938823 A1 19991123 AU 1999-38823 19990504 <--
EP 1078095 A1 20010228 EP 1999-921681 19990504
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE,
LT, LV, FI, RO
JP 2002513583 T2 20020514 JP 2000-547250 19990504

PRIORITY APPLN. INFO.: US 1998-73076 A 19980504
WO 1999-US9813 W 19990504

AB The present invention is directed to a method of producing recombinant viral vectors at high titers incorporating a variety of important advancements over the art. The method of the present invention incorporates multiple features which provide enhanced prodn. of viruses, particularly those viruses encoding exogenous transgenes. The specifically illustrated method describes a method for the high titer serum-free media prodn. of recombinant replication defective adenoviruses contg. an exogenous transgene. The invention provides methods of prepg. microcarriers, methods for seeding bioreactors at high cell d., increasing the infectivity of the producer cells to the virus, methods to increase product yield through synchronization of the cell cycle of the producer cells, and methods to minimize the deleterious effects of exogenous transgenes. The invention further provides producer cells prepd. by the process of the invention. The invention further provides viruses produced by the process.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 26 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1999:718875 CAPLUS

DOCUMENT NUMBER: 131:348774

TITLE: Tandem fluorescent protein constructs and their preparation for enzyme assays

INVENTOR(S): Tsien, Roger Y.; Heim, Roger; Cubitt, Andrew

PATENT ASSIGNEE(S): The Regents of the University of California, USA;
Aurora Biosciences Corporation

SOURCE: U.S., 33 pp., Cont.-in-part of U.S. Ser. No. 594,575.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5981200	A	19991109	US 1997-792553	19970131 <--
PT 877805	T	20021031	PT 1997-905667	19970131
ES 2177939	T3	20021216	ES 1997-905667	19970131
US 2003186229	A1	20031002	US 2001-865291	20010524
US 2002164674	A1	20021107	US 2002-57505	20020125
PRIORITY APPLN. INFO.:		US 1996-594575	A2	19960131
		US 1997-792553	A1	19970131
		US 1999-396003	B2	19990913

AB This invention provides tandem fluorescent protein construct including a donor fluorescent protein moiety, an acceptor fluorescent protein moiety and a linker moiety that couples the donor and acceptor moieties. The donor and acceptor moieties exhibit fluorescence resonance energy transfer which is eliminated upon cleavage. The constructs are useful in enzymic assays. Mutant green fluorescent proteins (GFPs) were created by mutagenesis of the Aequorea victoria GFP. Polyhistidine tagged tandem green and blue fluorescent proteins were recombinantly constructed having an inserted peptide sequence including cleavage recognition sites for many proteases. Cleavage expts. were done with trypsin, enterokinase and ***calpain***.

REFERENCE COUNT: 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 26 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1998:728567 CAPLUS

DOCUMENT NUMBER: 130:10614

TITLE: Ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections

INVENTOR(S): Borgford, Thor

PATENT ASSIGNEE(S): De Novo Enzyme Corp., Can.

PCT Int. Appl., 352 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9849311	A2	19981105	WO 1998-CA394	19980430 <--
WO 9849311	A3	19990211		
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9870237	A1	19981124	AU 1998-70237	19980430 <--
EP 977862	A2	20000209	EP 1998-916743	19980430
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2001523961	T2	20011127	JP 1998-546437	19980430
US 6593132	B1	20030715	US 1999-403752	19991029
US 2004009551	A1	20040115	US 2003-394511	20030324
PRIORITY APPLN. INFO.:			US 1997-45148P	P 19970430
			US 1997-63715P	P 19971029
			WO 1998-CA394	W 19980430
			US 1999-403752	A3 19991029

AB Ricin precursors with the ricin A and B chains linked by a protease-labile linker peptide are described for use in the treatment of disease. The linker peptide contains a cleavage site for a disease specific protease such as a cancer, fungal, viral or parasitic protease. The ricin A chain may be replaced by comparable cytotoxic proteins such as the abrin A chain. The protein is delivered to the target tissue using viral vectors carrying an expression cassette for the ricin fusion protein gene. Construction of a series of variants of preroricin cleavable by a no. of different proteinases is described. Cleavage and activation of these variants with the expected patterns of cleavage of rRNA is demonstrated.

L6 ANSWER 4 OF 26 USPATFULL on STN

ACCESSION NUMBER: 2003:296940 USPATFULL
 TITLE: Lactacystin analogs
 INVENTOR(S): Schreiber, Stuart L., Boston, MA, United States
 Standaert, Robert F., Bryan, TX, United States
 Fenteany, Gabriel, Cambridge, MA, United States
 Jamison, Timothy F., Cambridge, MA, United States
 PATENT ASSIGNEE(S): Millennium Pharmaceuticals, Inc., Cambridge, MA, United States (U.S. corporation)

NUMBER	KIND	DATE
US 6645999	B1	20031111
WO 9632105		19961017
US 1997-945092		19970126 (8)
WO 1996-US5072		19960412
		19980126 PCT 371 date

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1995-421583, filed on 12 Apr 1995

DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Travers, Russell

LEGAL REPRESENTATIVE: Hale and Dorr LLP

NUMBER OF CLAIMS: 8

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 2868

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds related to lactacystin and lactacystin Beta-lactone, pharmaceutical compositions containing the compounds, and methods of use.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 5 OF 26 USPATFULL on STN

ACCESSION NUMBER: 2003:190684 USPATFULL
 TITLE: Ricin-like toxin variants for treatment of cancer, viral or parasitic infections
 INVENTOR(S): Borgford, Thor, Burnaby, CANADA
 PATENT ASSIGNEE(S): Twinstrand Therapeutics Inc., Vancouver, CANADA

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6593132	B1	20030715	
	WO 9849311		19981105	<--
APPLICATION INFO.:	US 1999-403752		19991029	(9)
	WO 1998-CA394		19980430	
DOCUMENT TYPE:	Utility			
FILE SEGMENT:	GRANTED			
PRIMARY EXAMINER:	Carlson, Karen Cochrane			
LEGAL REPRESENTATIVE:	Bereskin & Parr, Gravelle, Micheline			
NUMBER OF CLAIMS:	36			
EXEMPLARY CLAIM:	1			
NUMBER OF DRAWINGS:	254 Drawing Figure(s); 254 Drawing Page(s)			
LINE COUNT:	5176			

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention provides a protein having an A chain of a ricin-like toxin, a B chain of a ricin-like toxin and a heterologous linker amino acid sequence, linking the A and B chains. The linker sequence contains a cleavage recognition site for a disease specific protease such as a cancer, fungal, viral or parasitic protease. The invention also relates to a nucleic acid molecule encoding the protein and to expression vectors incorporating the nucleic acid molecule. Also provided is a method of inhibiting or destroying mammalian cancer cells, cells infected with a virus, a fungus, or parasite, or parasites utilizing the nucleic acid molecules and proteins of the invention and pharmaceutical compositions for treating human cancer, viral infection, fungal infection, or parasitic infection.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

6 ANSWER 6 OF 26 USPATFULL on STN
 ACCESSION NUMBER: 2002:115819 USPATFULL
 TITLE: Fibrinogen-coated particles for therapeutic use
 INVENTOR(S): Yen, Richard C. K., Yorba Linda, CA, United States
 PATENT ASSIGNEE(S): Hemosphere, Inc., Anaheim, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6391343	B1	20020521	
	WO 9639128		19961212	<--
APPLICATION INFO.:	US 1998-952765		19980410	(8)
	WO 1996-US9458		19960604	
			19980410	PCT 371 date
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1995-554919, filed on 9 Nov 1995, now abandoned Continuation-in-part of Ser. No. US 1995-471650, filed on 6 Jun 1995, now patented, Pat. No. US 5725804 Continuation-in-part of Ser. No. US 1994-212546, filed on 14 Mar 1994, now patented, Pat. No. US 5616311 Continuation-in-part of Ser. No. US 1993-69831, filed on 1 Jun 1993, now abandoned Continuation-in-part of Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat. No. US 5308620 Continuation-in-part of Ser. No. US 1991-641720, filed on 15 Jan 1991, now abandoned			

DOCUMENT TYPE:	Utility
FILE SEGMENT:	GRANTED
PRIMARY EXAMINER:	Lovering, Richard D.
LEGAL REPRESENTATIVE:	Townsend and Townsend and Crew LLP
NUMBER OF CLAIMS:	11
EXEMPLARY CLAIM:	1
NUMBER OF DRAWINGS:	0 Drawing Figure(s); 0 Drawing Page(s)
LINE COUNT:	2407

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention provides a particle comprising fibrinogen bound on the surface of an albumin matrix, wherein said particle is capable of coaggregation with platelet, and of aggregation in a solution containing soluble fibrinogen at a concentration of soluble fibrinogen not capable by it self of formation of a clot upon activation by thrombin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

6 ANSWER 7 OF 26 USPATFULL on STN
 ACCESSION NUMBER: 2001:82299 USPATFULL
 TITLE: Method and product for cleaning and/or whitening of

VENTOR(S):

Rinne, Ari, Pajutie 3 B, FIN-2G900 Turku, Finland

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6241973	B1	20010605	
	WO 9829088		19980709	<--
PLICATION INFO.:	US 1999-331777		19990624	(9)
	WO 1998-FI1		19980102	
			19990624	PCT 371 date
			19990624	PCT 102(e) date

	NUMBER	DATE
IORITY INFORMATION:	FI 1997-12	19970103

CUMENT TYPE: Utility
LE SEGMENT: Granted
IMARY EXAMINER: Rose, Shep K.
GAL REPRESENTATIVE: Lydon, James C.
MBER OF CLAIMS: 12
EMPLARY CLAIM: 1
NE COUNT: 583

S INDEXING IS AVAILABLE FOR THIS PATENT.

A method and a product for cleaning and/or whitening of teeth. Natural human cysteine proteinases are employed for cleaning and whitening purposes and this activity can be blocked by natural cysteine protease inhibitors, which are released secondarily from the product at a later stage. The use of natural cysteine proteinases and their inhibitors provides the advantage that they are man's own proteins, and therefore the risk of allegorization is minimized. In addition, their enzyme kinetics are well known.

S INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 8 OF 26 USPATFULL on STN

CESSION NUMBER: 2000:41033 USPATFULL
ITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease
VENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States
TENT ASSIGNEE(S): Doctrow, Susan Robin, Roslindale, MA, United States
Eukarion, Inc., Bedford, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6046188		20000404	
PLICATION INFO.:	WO 9640148		19961219	<--
	US 1998-973577		19980311	(8)
	WO 1996-US10037		19960606	
			19980311	PCT 371 date
			19980311	PCT 102(e) date
LATED APPLN. INFO.:				Continuation-in-part of Ser. No. US 1995-485489, filed on 7 Jun 1995, now patented, Pat. No. US 5696109
CUMENT TYPE:				Utility
LE SEGMENT:				Granted
IMARY EXAMINER:				Reamer, James H.
GAL REPRESENTATIVE:				Townsend & Townsend & Crew LLP
MBER OF CLAIMS:				24
EMPLARY CLAIM:				1
MBER OF DRAWINGS:				28 Drawing Figure(s); 16 Drawing Page(s)
NE COUNT:				3405

S INDEXING IS AVAILABLE FOR THIS PATENT.

The invention provides antioxidant salen-metal complexes, compositions of such antioxidant salen-metal complexes having superoxide activity, catalase activity, and/or peroxidase activity, compositions of salen-metal complexes in a form suitable for pharmaceutical administration to treat or prevent a disease associated with cell or tissue damage produced by free radicals such as superoxide, and cosmetic and free radical quenching formulations of salen metal compounds.

S INDEXING IS AVAILABLE FOR THIS PATENT.

ANSWER 9 OF 26 USPATFULL on STN

CESSION NUMBER: 1999:166974 USPATFULL
ITLE: Cysteine protease inhibitors
VENTOR(S): Spruce, Lyle W., Chula Vista, CA, United States
Gyorkos, Albert C., Westminster, CO, United States

PATENT ASSIGNEE(S):
Goodfellow, Val S., Tucson, AZ, United States
Leimer, Axel H., Westborough, MA, United States
Young, John M., Redwood City, CA, United States
Gerrity, James Ivan, Albany, OR, United States
Cortech Inc., Bedminster, NJ, United States (U.S.
corporation)

NUMBER	KIND	DATE	
US 6004933		19991221	<--
US 1998-65258		19980423 (9)	

PATENT INFORMATION:
APPLICATION INFO.:

PRIORITY INFORMATION:
DOCUMENT TYPE:
FILE SEGMENT:
PRIMARY EXAMINER:
ASSISTANT EXAMINER:
LEGAL REPRESENTATIVE:
NUMBER OF CLAIMS:
EXEMPLARY CLAIM:
NUMBER OF DRAWINGS:
LINE COUNT:
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to cysteine protease inhibitors of the general formula (I): ##STR1## wherein Z is a cysteine protease binding moiety; X and Y are S, O or optionally substituted N; and R.sub.1 is optionally substituted alkyl or aryl.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 10 OF 26 USPATFULL on STN

ACCESSION NUMBER: 1999:155518 USPATFULL
TITLE: Viral production process
INVENTOR(S): Giroux, Daniel D., La Jolla, CA, United States
Goudreau, Ann M., San Diego, CA, United States
Ramachandra, Muralidhara, San Diego, CA, United States
Shabram, Paul W., Olivenhain, CA, United States
Canji, Inc., San Diego, CA, United States (U.S.
corporation)

NUMBER	KIND	DATE	
US 5994134		19991130	<--
US 1998-73076		19980504 (9)	

PATENT INFORMATION:
APPLICATION INFO.:
DOCUMENT TYPE:
FILE SEGMENT:
PRIMARY EXAMINER:
LEGAL REPRESENTATIVE:
NUMBER OF CLAIMS:
EXEMPLARY CLAIM:
NUMBER OF DRAWINGS:
LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention is directed to a method of producing recombinant viral vectors at high titers incorporating a variety of important advancements over the art. The method of the present invention incorporates multiple features which provide enhanced production of viruses, particularly those viruses encoding exogenous transgenes. The specifically illustrated method describes a method for the high titer serum-free media production of recombinant replication defective adenoviruses containing an exogenous transgene. The invention provides methods of preparing microcarriers, methods for seeding bioreactors at high cell density, increasing the infectivity of the producer cells to the virus, methods to increase product yield through synchronization of the cell cycle of the producer cells, and methods to minimize the deleterious effects of exogenous transgenes. The invention further provides producer cells prepared by the process of the invention. The invention further provides viruses produced by the process.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 11 OF 26 USPATFULL on STN

ACCESSION NUMBER: 1999:137014 USPATFULL
TITLE: Vesicle transport related protein

PATENT ASSIGNEE(S): Corley, Neil C., Mountain View, CA, United States
Shah, Purvi, Sunnyvale, CA, United States
Incyte Pharmaceuticals, Inc., Palo Alto, CA, United States (U.S. corporation)

NUMBER	KIND	DATE	
US 5976865		19991102	<--
US 1997-984172		19971203 (8)	

PATENT INFORMATION:
APPLICATION INFO.:
DOCUMENT TYPE:
FILE SEGMENT:
PRIMARY EXAMINER:
LEGAL REPRESENTATIVE:
NUMBER OF CLAIMS:
EXEMPLARY CLAIM:
NUMBER OF DRAWINGS:
LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB The invention provides a human vesicle transport related protein (VTRP) and polynucleotides which identify and encode VTRP. The invention also provides expression vectors, host cells, antibodies, agonists, and antagonists. The invention also provides methods for treating or preventing disorders associated with expression of VTRP.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

_6 ANSWER 12 OF 26 USPATFULL on STN
ACCESSION NUMBER: 1999:102423 USPATFULL
TITLE: Method for making non-crosslinked protein particles for therapeutic and diagnostic use
INVENTOR(S): Yen, Richard C. K., Glendora, CA, United States
PATENT ASSIGNEE(S): Hemosphere, Inc., Irvine, CA, United States (U.S. corporation)

NUMBER	KIND	DATE	
US 5945033		19990831	<--
US 1996-747137		19961112 (8)	

PATENT INFORMATION:
APPLICATION INFO.:
RELATED APPLN. INFO.: Continuation of Ser. No. US 1994-212546, filed on 14 Mar 1994, now patented, Pat. No. US 5616311 which is a continuation-in-part of Ser. No. US 1993-69831, filed on 1 Jun 1993, now abandoned And Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat. No. US 5308620 which is a continuation-in-part of Ser. No. US 1991-641720, filed on 15 Jan 1991, now abandoned

DOCUMENT TYPE:
FILE SEGMENT:
PRIMARY EXAMINER:
ASSISTANT EXAMINER:
LEGAL REPRESENTATIVE:
NUMBER OF CLAIMS:
EXEMPLARY CLAIM:
LINE COUNT:

Utility
Granted
Dees, Jose' G.
Hartley, Michael G.
Townsend and Townsend and Crew LLP
12
1
3655
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB Albumin particles in the nanometer and micrometer size range in an aqueous suspension are rendered stable against resolubilization without the aid of a crosslinking agent and without denaturation, by the incorporation of hemoglobin in the particle composition. Particles which are primarily hemoglobin in the nanometer and micrometer size range in an aqueous suspension are rendered stable against aggregation by the incorporation of either albumin, surface active agents or gelatin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

_6 ANSWER 13 OF 26 USPATFULL on STN
ACCESSION NUMBER: 1999:81758 USPATFULL
TITLE: Non-activated receptor complex proteins and uses thereof
INVENTOR(S): Davis, Roger J., Princeton, MA, United States
Galcheva-Gargova, Zoya, Worcester, MA, United States
PATENT ASSIGNEE(S): University of Massachusetts, Boston, MA, United States (U.S. corporation)

NUMBER	KIND	DATE	
US 5925566		19990720	<--

PATENT INFORMATION:

	NUMBER	DATE
PRIORITY INFORMATION:	US 1996-19219P	19960606 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Campell, Bruce R.	
ASSISTANT EXAMINER:	Nguyen, Dave Trong	
LEGAL REPRESENTATIVE:	Fish & Richardson, P.C.	
NUMBER OF CLAIMS:	23	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	22 Drawing Figure(s); 18 Drawing Page(s)	
LINE COUNT:	2438	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention features a substantially pure ZPR1 polypeptide. For example, a ZPR1 polypeptide that specifically binds to a non-activated membrane-bound receptor (e.g., EGF or PDGF receptors) and specifically binds small nucleolar RNAs (e.g., U3). ZPR1 polypeptides can be isolated from any eukaryote, including mammals (e.g. rodents and humans) and fungi (e.g., S. cerevisiae and S. pombe).

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 14 OF 26 USPATFULL on STN	ACCESSION NUMBER: 1999:36949 USPATFULL
TITLE: Engineering oral tissues	INVENTOR(S): Mooney, David J., Ann Arbor, MI, United States
PATENT ASSIGNEE(S): Rutherford, Robert B., Ann Arbor, MI, United States The Regents of the University of Michigan, Ann Arbor, MI, United States (U.S. corporation)	

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5885829		19990323	<--
APPLICATION INFO.:	US 1997-864494		19970528 (8)	

	NUMBER	DATE
PRIORITY INFORMATION:	US 1996-18450P	19960528 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	Granted	
PRIMARY EXAMINER:	Degen, Nancy	
LEGAL REPRESENTATIVE:	Arnold, White & Durkee	
NUMBER OF CLAIMS:	109	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	17 Drawing Figure(s); 11 Drawing Page(s)	
LINE COUNT:	8001	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Disclosed are methods for regenerating dental and oral tissues from viable cells using ex vivo culture on a structural matrix. The regenerated oral tissues and tissue-matrix preparations thus provided have both clinical applications in dentistry and oral medicine and are also useful in in vitro toxicity and biocompatibility testing.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 15 OF 26 USPATFULL on STN	ACCESSION NUMBER: 1998:138941 USPATFULL
TITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease	INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States
PATENT ASSIGNEE(S): Doctrow, Susan Robin, Roslindale, MA, United States Eukarion, Inc., Bedford, MA, United States (U.S. corporation)	

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5834509		19981110	<--
APPLICATION INFO.:	US 1995-479697		19950607 (8)	
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1995-380731, filed on 26 Jan 1995 which is a continuation-in-part of Ser. No. US 1992-987474, filed on 7 Dec 1992, now patented, Pat. No. US 5403834			

	NUMBER	DATE
--	--------	------

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Jarvis, William R. A.
LEGAL REPRESENTATIVE: Townsend and Townsend and Crew LLP
NUMBER OF CLAIMS: 5
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 28 Drawing Figure(s); 19 Drawing Page(s)
LINE COUNT: 3384

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB This invention provides salen-manganese complexes and pharmaceutically acceptable compositions thereof useful as antioxidants and free radical scavengers.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 16 OF 26 USPATFULL on STN

ACCESSION NUMBER: 1998:134999 USPATFULL
TITLE: Methods for the treatment of bone resorption disorders, including osteoporosis
INVENTOR(S): Gelb, Bruce D., Dobbs Ferry, NY, United States
Chapman, Harold, Newton, MA, United States
Desnick, Robert J., New York, NY, United States
PATENT ASSIGNEE(S): Mount Sinai School of Medicine of the City of New York, New York, NY, United States (U.S. corporation)
Brigham and Women's Hospital, Boston, MA, United States (U.S. corporation)

NUMBER	KIND	DATE	
US 5830850		19981103	<--
US 1996-704473		19960828 (8)	

PATENT INFORMATION:

APPLICATION INFO.:

DOCUMENT TYPE:

FILE SEGMENT:

PRIMARY EXAMINER:

LEGAL REPRESENTATIVE:

NUMBER OF CLAIMS:

EXEMPLARY CLAIM:

NUMBER OF DRAWINGS:

LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to methods and compositions for the amelioration of symptoms caused by bone resorption disorders, including but not limited to osteoporosis, arthritides and periodontal disease, and damage caused by macrophage-mediated inflammatory processes. In one embodiment, the methods and compositions of the invention include methods and compositions for the specific inhibition of cathepsin K activity. In an additional embodiment, the methods and compositions of the invention include methods and compositions for the specific inhibition of cathepsin K activity coupled with specific inhibition of at least a second activity involved in the bone resorption and/or macrophage-mediated inflammatory processes. In a particular embodiment, the methods and compositions of the invention include methods and compositions for the specific inhibition of cathepsin K and cathepsin S activity.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 17 OF 26 USPATFULL on STN

ACCESSION NUMBER: 1998:131743 USPATFULL
TITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease
INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States
Doctrow, Susan Robin, Roslindale, MA, United States
PATENT ASSIGNEE(S): Eukarion, Inc., Bedford, MA, United States (U.S. corporation)

NUMBER	KIND	DATE	
US 5827880		19981027	<--
US 1995-380731		19950126 (8)	

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1992-987474, filed on 7 Dec 1992, now patented, Pat. No. US 5403834

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Nazario-Gonzalez, Porfirio
LEGAL REPRESENTATIVE: Townsend and Townsend and Crew LLP

EXEMPLARY CLAIM: 1,12
NUMBER OF DRAWINGS: 28 Drawing Figure(s); 19 Drawing Page(s)
LINE COUNT: 3241

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention provides antioxidant salen-metal complexes, compositions of such antioxidant salen-metal complexes having superoxide activity, catalase activity, and/or peroxidase activity, compositions of salen-metal complexes in a form suitable for pharmaceutical administration to treat or prevent a disease associated with cell or tissue damage produced by free radicals such as superoxide, and cosmetic and free radical quenching formulations of salen metal compounds.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 18 OF 26 USPATFULL on STN
ACCESSION NUMBER: 1998:58182 USPATFULL
TITLE: Lactacystin analogs
INVENTOR(S): Fenteany, Gabriel, Cambridge, MA, United States
Jamison, Timothy F., Cambridge, MA, United States
Schreiber, Stuart L., Boston, MA, United States
Standaert, Robert F., Arlington, MA, United States
PATENT ASSIGNEE(S): President and Fellows of Harvard College, Cambridge, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5756764		19980526	<--
APPLICATION INFO.:	US 1995-466468		19950606 (8)	
RELATED APPLN. INFO.:	Division of Ser. No. US 1995-421583, filed on 12 Apr 1995			

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Richter, Johann
ASSISTANT EXAMINER: Stockton, Laura L.
LEGAL REPRESENTATIVE: Fish & Richardson P.C.
NUMBER OF CLAIMS: 16
EXEMPLARY CLAIM: 1
LINE COUNT: 2392

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Described herein are compounds related to lactacystin and lactacystin .beta.-lactone, pharmaceutical compositions containing the compounds, and methods of use.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 19 OF 26 USPATFULL on STN
ACCESSION NUMBER: 1998:57716 USPATFULL
TITLE: Aptamers specific for biomolecules and methods of making
INVENTOR(S): Griffin, Linda, Atherton, CA, United States
Albrecht, Glenn, Redwood City, CA, United States
Latham, John, Palo Alto, CA, United States
Leung, Lawrence, Hillsborough, CA, United States
Vermaas, Eric, Oakland, CA, United States
Toole, John J., Burlingame, CA, United States
PATENT ASSIGNEE(S): Gilead Sciences, Inc., Foster City, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5756291		19980526	<--
APPLICATION INFO.:	US 1995-484192		19950607 (8)	
RELATED APPLN. INFO.:	Continuation of Ser. No. US 1992-934387, filed on 21 Aug 1992, now abandoned			

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Zitomer, Stephanie W.
LEGAL REPRESENTATIVE: Bosse, Mark L.
NUMBER OF CLAIMS: 12
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 6 Drawing Figure(s); 6 Drawing Page(s)
LINE COUNT: 8242

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A method for identifying oligomer sequences, optionally comprising modified base, which specifically bind target molecules such as serum proteins, kinins, eicosanoids and extracellular proteins is described.

PDGF, FGF, ICAM, VCAM, E-selectin, thrombin, bradykinin, PGF2 and cell surface molecules. The technique involves complexation of the target molecule with a mixture of oligonucleotides containing random sequences and sequences which serve as primer for PCR under conditions wherein a complex is formed with the specifically binding sequences, but not with the other members of the oligonucleotide mixture. The complex is then separated from uncomplexed oligonucleotides and the complexed members of the oligonucleotide mixture are recovered from the separated complex using the polymerase chain reaction. The recovered oligonucleotides may be sequenced, and successive rounds of selection using complexation, separation, amplification and recovery can be employed. The oligonucleotides can be used for therapeutic and diagnostic purposes and for generating secondary aptamers.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 20 OF 26 USPATFULL on STN
ACCESSION NUMBER: 1998:24868 USPATFULL
TITLE: Non-crosslinked protein particles for therapeutic and diagnostic use
INVENTOR(S): Yen, Richard C. K., Yorba Linda, CA, United States
PATENT ASSIGNEE(S): Hemosphere, Inc., Irvine, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5725804		19980310	<--
APPLICATION INFO.:	US 1995-471650		19950606 (8)	
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1994-212546, filed on 14 Mar 1994, now patented, Pat. No. US 5616311 which is a continuation-in-part of Ser. No. US 1993-69831, filed on 1 Jun 1993, now abandoned And Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat. No. US 5308620 which is a continuation-in-part of Ser. No. US 1991-641720, filed on 15 Jan 1991, now abandoned			

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Lovering, Richard D.
LEGAL REPRESENTATIVE: Townsend & Townsend & Crew
NUMBER OF CLAIMS: 11
EXEMPLARY CLAIM: 1
LINE COUNT: 2178

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Albumin particles in the nanometer and micrometer size range in an aqueous suspension are rendered stable against resolubilization without the aid of a crosslinking agent and without denaturation, by the incorporation of a stabilizing agent in the particle composition. Particles which are primarily albumin in the nanometer and micrometer size range in an aqueous suspension are rendered stable against resolubilization by the incorporation of a reducing agent, oxidizing agent, hydrogen-accepting molecule, high molecular weight polymer, sulfur-containing ring compound or combinations thereof.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 21 OF 26 USPATFULL on STN
ACCESSION NUMBER: 97:115268 USPATFULL
TITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease
INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States
PATENT ASSIGNEE(S): Doctrow, Susan Robin, Roslindale, MA, United States
Eukarion, Inc., Bedford, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5696109		19971209	<--
APPLICATION INFO.:	US 1995-485489		19950607 (8)	
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1995-380731, filed on 26 Jan 1995 which is a continuation-in-part of Ser. No. US 1992-987474, filed on 7 Dec 1992, now patented, Pat. No. US 5403834			

	NUMBER	DATE
PRIORITY INFORMATION:	WO 1993-US11857	19931206

FILE SEGMENT: Granted
PRIMARY EXAMINER: Jarvis, William R. A.
LEGAL REPRESENTATIVE: Townsend and Townsend and Crew LLP
NUMBER OF CLAIMS: 14
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 28 Drawing Figure(s); 19 Drawing Page(s)
LINE COUNT: 3441
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB The invention provides antioxidant salen-metal complexes, compositions of such antioxidant salen-metal complexes having superoxide activity, catalase activity, and/or peroxidase activity, compositions of salen-metal complexes in a form suitable for pharmaceutical administration to treat a disease associated with cell or tissue damage produced by free radicals such as superoxide, and cosmetic and free radical quenching formulations of salen metal compounds.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 22 OF 26 USPATFULL on STN
ACCESSION NUMBER: 97:26904 USPATFULL
TITLE: Non-crosslinked protein particles for therapeutic and diagnostic use
INVENTOR(S): Yen, Richard C. K., Glendora, CA, United States
PATENT ASSIGNEE(S): Hemosphere, Inc., Irvine, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5616311		19970401	<--
APPLICATION INFO.:	US 1994-212546		19940314 (8)	
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1993-69831, filed on 1 Jun 1993, now abandoned And Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat. No. US 5308620 which is a continuation-in-part of Ser. No. US 1991-641720, filed on 15 Jan 1991, now abandoned			

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Lovering, Richard D.
LEGAL REPRESENTATIVE: Townsend & Townsend & Crew
NUMBER OF CLAIMS: 26
EXEMPLARY CLAIM: 1,26
LINE COUNT: 2585
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Albumin particles in the nanometer and micrometer size range in an aqueous suspension are rendered stable against resolubilization without the aid of a crosslinking agent and without denaturation, by the incorporation of hemoglobin in the particle composition. Particles which are primarily hemoglobin in the nanometer and micrometer size range in an aqueous suspension are rendered stable against aggregation by the incorporation of either albumin, surface active agents or gelatin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 23 OF 26 USPATFULL on STN
ACCESSION NUMBER: 95:29636 USPATFULL
TITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease
INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States
PATENT ASSIGNEE(S): Baudry, Michel, Long Beach, CA, United States
corporation Eukarion, Inc., Arlington, MA, United States (U.S.

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5403834		19950404	<--
APPLICATION INFO.:	US 1992-987474		19921207 (7)	
DOCUMENT TYPE:	Utility			

FILE SEGMENT: Granted
PRIMARY EXAMINER: Henley, III, Raymond
ASSISTANT EXAMINER: Criares, T. J.
LEGAL REPRESENTATIVE: Dunn, Tracy J.
NUMBER OF CLAIMS: 6
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 9 Drawing Figure(s); 6 Drawing Page(s)
LINE COUNT: 1742
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

suitable for pharmaceutical administration to treat or prevent a disease associated with cell or tissue damage produced by free radicals such as superoxide.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 24 OF 26 USPATFULL on STN
ACCESSION NUMBER: 94:51514 USPATFULL
TITLE: Antiplatelet and antithrombotic activity of platelet glycoprotein Ib receptor fragments
INVENTOR(S): Handin, Robert, Needham, MA, United States
PATENT ASSIGNEE(S): Brigham and Women's Hospital, Boston, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5321127		19940614	<--
APPLICATION INFO.:	US 1991-670606		19910318 (7)	
DOCUMENT TYPE:		Utility		
FILE SEGMENT:		Granted		
PRIMARY EXAMINER:	Russel, Jeffrey E.			
LEGAL REPRESENTATIVE:	Sterne, Kessler, Goldstein & Fox			
NUMBER OF CLAIMS:	9			
EXEMPLARY CLAIM:	1			
NUMBER OF DRAWINGS:	10 Drawing Figure(s); 8 Drawing Page(s)			
LINE COUNT:	1494			

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A platelet glycoprotein Ib receptor fragment, having antiplatelet and antithrombotic activity, useful for blocking platelet adhesion. The invention may be used in the treatment of patients who are particularly prone to thrombosis and embolism. The invention may also be used to purify von Willebrands factor.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 25 OF 26 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1999:184941 BIOSIS
DOCUMENT NUMBER: PREV199900184941
TITLE: Human ***cytomegalovirus*** -activated ***calpain*** and p21Cip1 degradation in human lung fibroblasts.
AUTHOR(S): Chen, Z.; Knutson, E.; Kurosky, A.; Liu, S.; Albrecht, T.
CORPORATE SOURCE: Univ. Texas Med. Branch, Galveston, TX 77555, USA
SOURCE: Proceedings of the American Association for Cancer Research Annual Meeting, (March, 1999) Vol. 40, pp. 447-448. print.
DOCUMENT TYPE: Meeting Info.: 90th Annual Meeting of the American Association for Cancer Research. Philadelphia, Pennsylvania, USA. April 10-14, 1999. American Association for Cancer Research.
ISSN: 0197-016X.
LANGUAGE: Conference; (Meeting)
ENTRY DATE: Conference; Abstract; (Meeting Abstract)
English
Entered STN: 5 May 1999
Last Updated on STN: 5 May 1999

L6 ANSWER 26 OF 26 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
ACCESSION NUMBER: 1993:407472 BIOSIS
DOCUMENT NUMBER: PREV199396073197
TITLE: Inhibition of proteolytic activity of poliovirus and rhinovirus 2A proteinases by elastase-specific inhibitors.
AUTHOR(S): Molla, Akhteruzzaman; Hellen, Christopher U. T.; Wimmer, Eckard [Reprint author]
CORPORATE SOURCE: Dep. Microbiol., Sch. Med., State Univ. New York at Stony Brook, Stony Brook, NY 11794-8621, USA
SOURCE: Journal of Virology, (1993) vol. 67, No. 8, pp. 4688-4695.
CODEN: JOVIAM. ISSN: 0022-538X.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 8 Sep 1993
Last Updated on STN: 6 Nov 1993

AB A polyprotein cleavage assay has been developed to assay the proteolytic activities in vitro of the 2A proteinases encoded by poliovirus and human rhinovirus 14, which are representative members of the Enterovirus and Rhinovirus genera of picornaviruses, respectively. The elastase-specific substrate-based inhibitors elastatinal and methoxysuccinyl-Ala-Ala-Pro-Val-chloromethylketone (MPCMK) inhibited both 2A proteinases in vitro. The

incubation with elastatinal, whereas the mobility of a Cys-109 fwdarw -Ala poliovirus 2A-pro mutant was unchanged, an observation suggesting that this inhibitor may have formed a covalent bond with the active-site Cys-109 nucleophile. Iodoacetamide, ***calpain*** inhibitor 1, and antipain inhibited poliovirus 2A-pro. MPCMK caused a reduction in the yields of the enteroviruses poliovirus type 1 and coxsackievirus A21 and of human rhinovirus 2 in infected HeLa cells but did not affect the growth of encephalomyocarditis virus, a picornavirus of the Cardiovirus genus. MPCMK abrogated the shutoff of host cell protein synthesis that is induced by enterovirus and rhinovirus infection and reduced the synthesis of virus-encoded polypeptides in infected cells. These results indicate that the determinants of substrate recognition by 2A proteinases resemble those of pancreatic and leukocyte elastases. These results may be relevant to the development of broad-range chemotherapeutic agents against entero- and rhinoviruses.

-> d 16 ibib kwic tot

6 ANSWER 1 OF 26 CAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 1999:723196 CAPLUS
 DOCUMENT NUMBER: 131:333006
 TITLE: Production of recombinant replication-deficient viral vectors encoding exogenous transgenes via microcarrier-based process
 INVENTOR(S): Giroux, Daniel D.; Goudreau, Ann M.; Ramachandra, Muralidhara; Shabram, Paul W.
 PATENT ASSIGNEE(S): Canji, Inc., USA
 SOURCE: PCT Int. Appl., 32 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9957297	A1	19991111	WO 1999-US9813	19990504 <--
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MD, MG, MK, MN, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 5994134	A	19991130	US 1998-73076	19980504 <--
CA 2328084	AA	19991111	CA 1999-2328084	19990504 <--
AU 9938823	A1	19991123	AU 1999-38823	19990504 <--
EP 1078095	A1	20010228	EP 1999-921681	19990504
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, LT, LV, FI, RO				
JP 2002513583	T2	20020514	JP 2000-547250	19990504

PRIORITY APPLN. INFO.: US 1998-73076 A 19980504
 WO 1999-US9813 W 19990504

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9957297	A1	19991111	WO 1999-US9813	19990504 <--
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MD, MG, MK, MN, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 5994134	A	19991130	US 1998-73076	19980504 <--
CA 2328084	AA	19991111	CA 1999-2328084	19990504 <--
AU 9938823	A1	19991123	AU 1999-38823	19990504 <--
EP 1078095	A1	20010228	EP 1999-921681	19990504
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, LT, LV, FI, RO				
JP 2002513583	T2	20020514	JP 2000-547250	19990504

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(early, ***cytomegalovirus*** ; prodn. of recombinant replication-deficient viral vectors encoding exogenous transgenes via microcarrier-based process)

T 110044-82-1, ***Calpain*** inhibitor I
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(prodn. of recombinant replication-deficient viral vectors encoding exogenous transgenes via microcarrier-based process)

6 ANSWER 2 OF 26 CAPLUS COPYRIGHT 2004 ACS on STN

CCESION NUMBER: 1999:718875 CAPLUS

OCUMENT NUMBER: 131:348774

ITLE: Tandem fluorescent protein constructs and their preparation for enzyme assays

NVENTOR(S): Tsien, Roger Y.; Heim, Roger; Cubitt, Andrew

ATENT ASSIGNEE(S): The Regents of the University of California, USA;
Aurora Biosciences Corporation

OURCE: U.S., 33 pp., Cont.-in-part of U.S. Ser. No. 594,575.
CODEN: USXXAM

OCUMENT TYPE: Patent

ANGUAGE: English

AMILY ACC. NUM. COUNT: 4

ATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5981200	A	19991109	US 1997-792553	19970131 <--
PT 877805	T	20021031	PT 1997-905667	19970131
ES 2177939	T3	20021216	ES 1997-905667	19970131
US 2003186229	A1	20031002	US 2001-865291	20010524
US 2002164674	A1	20021107	US 2002-57505	20020125
RRIORITY APPLN. INFO.:			US 1996-594575	A2 19960131
			US 1997-792553	A1 19970131
			US 1999-396003	B2 19990913

EFERENCE COUNT: 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

I US 5981200 A ***19991109***

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5981200	A	19991109	US 1997-792553	19970131 <--
PT 877805	T	20021031	PT 1997-905667	19970131
ES 2177939	T3	20021216	ES 1997-905667	19970131
US 2003186229	A1	20031002	US 2001-865291	20010524
US 2002164674	A1	20021107	US 2002-57505	20020125

B This invention provides tandem fluorescent protein construct including a donor fluorescent protein moiety, an acceptor fluorescent protein moiety and a linker moiety that couples the donor and acceptor moieties. The donor and acceptor moieties exhibit fluorescence resonance energy transfer which is eliminated upon cleavage. The constructs are useful in enzymic assays. Mutant green fluorescent proteins (GFPs) were created by mutagenesis of the Aequorea victoria GFP. Polyhistidine tagged tandem green and blue fluorescent proteins were recombinantly constructed having an inserted peptide sequence including cleavage recognition sites for many proteases. Cleavage expts. were done with trypsin, enterokinase and ***calpain***.

T 78990-62-2, ***Calpain***
RL: ANT (Analyte); PEP (Physical, engineering or chemical process); ANST (Analytical study); PROC (Process)

(fluorescent fusion protein cleavage with; tandem fluorescent protein constructs and their prepn. for enzyme assays)

T 139691-88-6, Assemblin
RL: ANT (Analyte); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); USES (Uses)
(of ***cytomegalovirus*** ; tandem fluorescent protein constructs and their prepn. for enzyme assays)

6 ANSWER 3 OF 26 CAPLUS COPYRIGHT 2004 ACS on STN

CCESION NUMBER: 1998:728567 CAPLUS

OCUMENT NUMBER: 130:10614

ITLE: Ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections

NVENTOR(S): Borgford, Thor

ATENT ASSIGNEE(S): De Novo Enzyme Corp., Can.

CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9849311	A2	19981105	WO 1998-CA394	19980430 <--
WO 9849311	A3	19990211		
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9870237	A1	19981124	AU 1998-70237	19980430 <--
EP 977862	A2	20000209	EP 1998-916743	19980430
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2001523961	T2	20011127	JP 1998-546437	19980430
US 6593132	B1	20030715	US 1999-403752	19991029
US 2004009551	A1	20040115	US 2003-394511	20030324
PRIORITY APPLN. INFO.:				
US 1997-45148P	P	19970430		
US 1997-63715P	P	19971029		
WO 1998-CA394	W	19980430		
US 1999-403752	A3	19991029		

I WO 9849311 A2 ***19981105***
PATENT NO. KIND DATE APPLICATION NO. DATE

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9849311	A2	19981105	WO 1998-CA394	19980430 <--
WO 9849311	A3	19990211		
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9870237	A1	19981124	AU 1998-70237	19980430 <--
EP 977862	A2	20000209	EP 1998-916743	19980430
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2001523961	T2	20011127	JP 1998-546437	19980430
US 6593132	B1	20030715	US 1999-403752	19991029
US 2004009551	A1	20040115	US 2003-394511	20030324
T Plasmid vectors (pAP260, transfer vector for ***calpain*** -cleavable preproricin gene; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)				
T Plasmid vectors (pAP262, transfer vector for ***calpain*** -cleavable preproricin gene; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)				
T Plasmid vectors (pAP294, transfer vector for ***calpain*** -cleavable preproricin gene; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)				
T 152870-66-1 215649-49-3 215649-50-6 215649-51-7 RL: BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); PROC (Process) (***calpain*** -labile linker for ricin precursor; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)				
T 215649-39-1 215649-40-4 RL: BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); PROC (Process) (***cytomegalovirus*** proteinase-labile linker for ricin precursor; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)				
T 215649-52-8 RL: BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); PROC (Process)				

ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections) 215649-41-5 215649-42-6
 RL: BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); PROC (Process)
 (***herpes*** ***simplex*** virus proteinase-labile linker for ricin precursor; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)

215805-06-4 215805-20-2 215861-07-7 215861-33-9
 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
 (nucleotide sequence, ***calpain*** cleavage of preproricin in relation to; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)

215804-74-3 215804-75-4 215804-99-2
 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
 (nucleotide sequence, encoding ***calpain*** cleavage site; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)

215802-07-6 215802-08-7
 RL: BUU (Biological use, unclassified); PRP (Properties); BIOL (Biological study); USES (Uses)
 (nucleotide sequence, encoding cleavage site for proteinase of human ***cytomegalovirus***; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)

215802-52-1
 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
 (nucleotide sequence, ***herpes*** ***simplex*** virus proteinase cleavage of preproricin in relation to; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)

215802-67-8 215802-76-9
 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
 (nucleotide sequence, human ***cytomegalovirus*** proteinase cleavage of preproricin in relation to; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)

9001-01-8, Kallikrein 9004-06-2, Elastase 9025-26-7, Cathepsin D 9039-53-6, Urokinase 9047-22-7, Cathepsin B 60616-82-2, Cathepsin L 69458-91-9, Candidapepsin 78990-62-2, ***Calpain*** 79955-99-0, Matrix metalloproteinase 3 139691-88-6 141256-52-2, Matrix metalloproteinase 7 141907-41-7, Matrix metalloproteinase 146480-36-6, Matrix metalloproteinase 9
 RL: CAT (Catalyst use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (ricin precursors cleavable by; ricin precursors cleavable by disease-specific proteinases for treatment of cancer, viral or parasitic infections)

_6 ANSWER 4 OF 26 USPATFULL on STN

ACCESSION NUMBER: 2003:296940 USPATFULL
 TITLE: Lactacystin analogs
 INVENTOR(S): Schreiber, Stuart L., Boston, MA, United States
 Standaert, Robert F., Bryan, TX, United States
 Fenteany, Gabriel, Cambridge, MA, United States
 Jamison, Timothy F., Cambridge, MA, United States
 PATENT ASSIGNEE(S): Millennium Pharmaceuticals, Inc., Cambridge, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6645999	B1	20031111	
APPLICATION INFO.:	WO 9632105		19961017	<--
	US 1997-945092		19970126 (8)	
	WO 1996-US5072		19960412	
			19980126 PCT 371 date	

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1995-421583, filed on 12 Apr 1995

DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Travers, Russell

LEGAL REPRESENTATIVE: Hale and Dorr LLP

NUMBER OF CLAIMS: 8

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 2868

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

PI US 6645999 B1 20031111

WO 9632105 19961017

<--

SUMM The compounds disclosed herein are highly selective for the proteasome, and do not inhibit other proteases such as trypsin, .alpha.-chymotrypsin, ***calpain*** I, ***calpain*** II, papain, and cathepsin B.

SUMM . . . the X/MB1 subunit and .alpha.-chain of the proteasome and do not inhibit the activity of proteases such as trypsin, .alpha.-chymotrypsin, ***calpain*** I, ***calpain*** II, cathepsin, and papain. Such selectivity is useful to formulate a pharmaceutical composition with fewer side effects and to evaluate. . .

SUMM Other eukaryotic transcription factors that require proteolytic processing include the general transcription factor TFIIA, ***herpes*** ***simplex*** virus VP16 accessory protein (host cell factor), virus-inducible IFN regulatory factor 2 protein, and the membrane-bound sterol regulatory element-binding protein.

DETDmu.M Suc-LLVY-AMC for fluorescence assay); Trypsin: 10 mM Tris-HCL, pH 8, 20 mM CaCl₂ (plus 100 .mu.M Cbz-GGR-.beta.NA for assay); ***Calpain*** I: 20 mM Tris-HCL, pH 8, 1 mM CaCl₂, 1 mM DTT (plus 100 .mu.M Suc-LLVY-AMC for assay); ***Calpain*** II: 20 mM Tris-HCL, pH 8, 10 mM CaCl₂, 1 mM DTT (plus 100 .mu.M Suc-LLVY-AMC for assay); Papain: 50. . .

DETD

TABLE 4

Inhibition of Other Proteases

Effect of lactacystin

Protease tested (100 .mu.M)

.alpha.-Chymotrypsin No inhibition

Trypsin No inhibition

Calpain I No inhibition

Calpain II No inhibition

Papain No inhibition

Cathepsin B No inhibition

DETD . . . containing the human p105 cDNA. Forty-eight hrs after transfection, cells were pretreated for 1 hour with 0.5% DMSO, 50 .mu.M ***calpain*** inhibitor II, 50 .mu.M MG132, or 10 .mu.M .beta.-lactone. Cells were then pulse labelled with 250 uCi/plate of .sup.35S-methionine/cysteine for . . .

DETD . . . apparent, as was expected (Fan and Maniatis, 1991, Nature 354:395; Palombella et al., 1994, Cell 78:773). Pretreatment of cells with ***calpain*** inhibitor II has no effect on the processing of p105 to p50 (lane 4). However, treatment of cells with the. . .

L6 ANSWER 5 OF 26 USPATFULL on STN

ACCESSION NUMBER: 2003:190684 USPATFULL

TITLE: Ricin-like toxin variants for treatment of cancer, viral or parasitic infections

INVENTOR(S): Borgford, Thor, Burnaby, CANADA

PATENT ASSIGNEE(S): Twinstrand Therapeutics Inc., Vancouver, CANADA
(non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6593132	B1	20030715	
	WO 9849311		19981105	<--
APPLICATION INFO.:	US 1999-403752		19991029 (9)	
	WO 1998-CA394		19980430	

DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Carlson, Karen Cochrane

LEGAL REPRESENTATIVE: Bereskin & Parr, Gravelle, Micheline

NUMBER OF CLAIMS: 36

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 254 Drawing Figure(s); 254 Drawing Page(s)

LINE COUNT: 5176

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

PI US 6593132 B1 20030715

WO 9849311 19981105

<--

SUMM . . . (Proc. Natl. Acad. Sci. USA 88:107973-10800 (1991)) has described a series of viral proteases which are specifically associated

virus, varicella zoster virus-I. and infectious laryngotracheitis virus. These proteases possess similar substrate specificity and play an . . . breast cancer, prostate cancer, non small cell lung cancer, malaria, and diverse viral disease states associated with infection with human ***cytomegalovirus***, hepatitis virus, herpes virus, human rhinovirus, infectious laryngotracheitis virus, poliomyelitis virus, or varicella zoster virus.

. . . SLSALLSSDIFN cleaved by human prostate-specific antigen; SLPRFKIIGGFN cleaved by kallikrein (bk3); SLLGIAVPGNFN cleaved by neutrophil elastase; and FFKNIVTPRTPP cleaved by ***calpain*** (calcium activated neutral protease). The nucleic acid sequences for ricin A and B chains with each of the linker sequences. . .

. . . serine, asparagine or valine. In particular embodiments, the linker amino acid sequence comprises SGVVNASCRLAN or SSYVKASVSPEN cleaved by a human ***cytomegalovirus*** protease; SALVNASSAHVN or STYLQASEKFKN cleaved by a ***herpes*** ***simplex*** 1 virus protease; SSILNASVPNFN cleaved by a human herpes virus 6 protease; SQDVNAVEASSN or SVYLQASTGYGN cleaved by a varicella zoster. . .

. . . In a particular embodiment, the cancer is T-cell or B-cell lymphoproliferative disease. In another particular embodiment, the virus is human ***cytomegalovirus***, Epstein-Barr virus, hepatitis virus, herpes virus, human rhinovirus, infectious laryngotracheitis virus, poliomyelitis virus, or varicella zoster virus. In a further. . .

. . . cell carcinoma, gastrointestinal cancer, breast cancer, prostate cancer, non small cell lung cancer. In another embodiment, the virus is human ***cytomegalovirus***, Epstein-Barr virus, hepatitis virus, herpes virus, human rhinovirus, human T-cell leukemia virus, infectious laryngotracheitis virus, poliomyelitis virus, or varicella zoster. . .

DRWD FIG. 47B shows the nucleotide sequence of the ***calpain*** linker region of pAP-296;

DRWD FIG. 47D shows the amino acid sequence comparison of mutant prorocin linker region of ***calpain*** to wild type;

DRWD FIG. 64 is a blot showing cleavage of pAP-296 with ***calpain*** . .

DETD The nucleotide sequence of the ***calpain*** linker region of pAP-296 is referred to herein as SEQ ID NO. 124.

DETD The amino acid sequence of the mutant prorocin linker region for ***calpain***, pAP-296, is referred to herein as SEQ ID NO. 126.

DETD In a further embodiment, the preparation of proteases from human ***cytomegalovirus***, human herpes virus, varicella zoster virus and infectious laryngotracheitis virus have been taught by Liu F. & Roizman, B. (J.. . .

DETD . . . for directing expression in mammalian cells generally include a promoter (e.g., derived from viral material such as polyoma, Adenovirus 2, ***cytomegalovirus*** and Simian Virus 40), as well as other transcriptional and translational control sequences. Examples of mammalian expression vectors include pCDM8. . .

DETD Cleavage of pAP-248 Protein with the Human ***Cytomegalovirus*** (HCMV) Protease

DETD Cleavage of pAP-296 Protein with ***Calpain***

DETD . . . disease-specific proteases to confirm specific cleavage in the linker region. The pAP-296 protein sample (2.05 ug) was digested with the ***Calpain*** protease (10 ug) overnight at 37.degree. C. The total volume of the digestion reaction was 35 ul and 0.761 ug of the reaction sample was loaded on a protein gel. The ***Calpain*** protease was purchased from Sigma Chemical Co., USA

DETD . . . 58 & 66(MMP-2), 60, 64 and 62 show the cleavage of proteases of linkers by HCMV, HAV 3C, MMP-2, t-PA, ***calpain***, and human neutrophil elastase respectively. Without protease digestion, the prorocin variants appear as a single band at approximately 60 kDa. . .

DETD . . . HCMV; pAP-256 by HAV3C protease; pAP-270 by MMP-2 protease; pAP-288 by t-PA protease; pAP-294 by human neutrophil elastase; pAP-296 by ***calpain***; and pAP-222 by MMP-2 is illustrated in FIGS. 52, 55, 59, 61, 63, 65, and 67 respectively. The appearance of. . .

DETD . . . Val Pro Gly Asn Phe Asn
 1 5 10

<210> SEQ ID NO 124
 <211> LENGTH: 36
 <212> TYPE: DNA
 <213> ORGANISM: ***Calpain*** Linker region of pAP-296
 <400> SEQUENCE: 124

tttttcaaaa atattgttac tccttagaacc ccccca

<210> SEQ ID NO 125
<211> LENGTH: 1855
<212> . . . agcaagttat atcgaattcc tgcat 1855

<210> SEQ ID NO 126
<211> LENGTH: 12
<212> TYPE: PRT
<213> ORGANISM: Mutant prorocin linker region for ***calpain*** , pAP-296

<400> SEQUENCE: 126

Phe Phe Lys Asn Ile Val Thr Pro Arg Thr Pro Pro
1 5 10

CLM what is claimed is:

a matrix metalloproteinase, cathepsin L, cathepsin D, urokinase-type plasminogen activator, tissue-type plasminogen activator, human prostate-specific antigen, kallikrein, neutrophil elastase, and ***calpain***.

a cleavage recognition site for a viral protease, wherein the viral protease is selected from the group consisting of: human ***cytomegalovirus***, human herpes virus, varicella zoster virus, hepatitis A virus, hepatitis C virus, Epstein-Barr virus-specific protease, and infectious laryngotracheitis virus.

L6 ANSWER 6 OF 26 USPATFULL on STN

ACCESSION NUMBER: 2002:115819 USPATFULL
TITLE: Fibrinogen-coated particles for therapeutic use
INVENTOR(S): Yen, Richard C. K., Yorba Linda, CA, United States
PATENT ASSIGNEE(S): Hemosphere, Inc., Anaheim, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6391343	B1	20020521	
APPLICATION INFO.:	WO 9639128		19961212	<--
	US 1998-952765		19980410 (8)	
	WO 1996-US9458		19960604	
			19980410	PCT 371 date
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1995-554919, filed on 9 Nov 1995, now abandoned Continuation-in-part of Ser. No. US 1995-471650, filed on 6 Jun 1995, now patented, Pat. No. US 5725804 Continuation-in-part of Ser. No. US 1994-212546, filed on 14 Mar 1994, now patented, Pat. No. US 5616311 Continuation-in-part of Ser. No. US 1993-69831, filed on 1 Jun 1993, now abandoned Continuation-in-part of Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat. No. US 5308620 Continuation-in-part of Ser. No. US 1991-641720, filed on 15 Jan 1991, now abandoned			

DOCUMENT TYPE: Utility

FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Lovering, Richard D.

LEGAL REPRESENTATIVE: Townsend and Townsend and Crew LLP

NUMBER OF CLAIMS: 11

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 2407

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

PI US 6391343 B1 20020521

WO 9639128 19961212 <--

DETD ***Calpain*** Inhibitor I

DETD ***Calpain*** Inhibitor II

DETD ***Calpain*** Inhibitor Peptide

DETD . . . double stranded), cloning vectors, coliphage DNA, lambda phage DNA, M13 DNA, Adenovirus DNA, phi-X 174 phage DNA, Simian virus DNA, ***cytomegalovirus*** DNA, Epstein-Barr Virus genes, ***Herpes*** ***Simplex*** genes, ribosomal RNA, human DNA and RNA; Genes coding for ribozymes; genes coding for antibiotics (e.g., ampicillin, chloramphenicol, cycloserine, gentamycin, . . .

CESSION NUMBER: 2001:82299 USPATFULL
TITLE: Method and product for cleaning and/or whitening of teeth
INVENTOR(S): Rinne, Ari, Pajutie 3 B, FIN-2G900 Turku, Finland

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6241973	B1	20010605	
	WO 9829088		19980709	<--
APPLICATION INFO.:	US 1999-331777		19990624 (9)	
	WO 1998-FI1		19980102	
			19990624 PCT 371 date	
			19990624 PCT 102(e) date	

	NUMBER	DATE
IORITY INFORMATION:	FI 1997-12	19970103

DOCUMENT TYPE: Utility
LE SEGMENT: Granted
IMARY EXAMINER: Rose, Shep K.
GAL REPRESENTATIVE: Lydon, James C.
MBER OF CLAIMS: 12
EMPLARY CLAIM: 1
NE COUNT: 583

S INDEXING IS AVAILABLE FOR THIS PATENT.

US 6241973 B1 20010605
WO 9829088 19980709 <--

MM Among the mammalian cysteine proteinases are further known calcium-activated cysteine proteinases, which are considered to belong to the ***calpain*** family. Their inhibitors are called calpastatins (M. Nakamura, S. Imajoh-Ohmi, K. Suzuki and S. Kawashima: An endogenous inhibitor of calcium-activated.

MM . . . 3. Installment 1995; Bjorck, L., Grubb, A. and Kjellen, L. (1990) Cystatin C, a human proteinase inhibitor, blocks replication of ***Herpes*** ***simplex*** virus. J Virol 64, 941-943 Bjorck, L., Akesson, P., Bohus, M., Trojnar, J., Abrahamson, M., Olafson, I., and Grubb, A. (1989).

MM . . . protein chemistry as well as produced by molecular biological techniques. Most of such cysteine proteinases belong to the cathepsin or ***calpain*** family.

ANSWER 8 OF 26 USPATFULL on STN

CESSION NUMBER: 2000:41033 USPATFULL
TITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease
INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States
TENT ASSIGNEE(S): Doctrow, Susan Robin, Roslindale, MA, United States
Eukarion, Inc., Bedford, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
TENT INFORMATION:	US 6046188		20000404	
PLICATION INFO.:	WO 9640148		19961219	<--
	US 1998-973577		19980311 (8)	
	WO 1996-US10037		19960606	
			19980311 PCT 371 date	
			19980311 PCT 102(e) date	

LATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1995-485489, filed on 7 Jun 1995, now patented, Pat. No. US 5696109

CUMENT TYPE: Utility
LE SEGMENT: Granted
IMARY EXAMINER: Reamer, James H.
GAL REPRESENTATIVE: Townsend & Townsend & Crew LLP
MBER OF CLAIMS: 24
EMPLARY CLAIM: 1
MBER OF DRAWINGS: 28 Drawing Figure(s); 16 Drawing Page(s)
NE COUNT: 3405

S INDEXING IS AVAILABLE FOR THIS PATENT.

US 6046188 20000404
WO 9640148 19961219 <--

MM . . . effects in treating systemic lupus erythematosus, Crohn's disease, gastric ulcers, oxygen toxicity, burned patients, renal failure attendant to transplantation, and ***herpes*** ***simplex*** infection.

MM . . . (3) one or more oxyradical inhibitors, such as desferrioxamine

calpain inhibitors. The formulations of these compositions is dependent upon the specific pathological condition sought to be treated or prevented, the . . . active ingredients, typically selected from the group consisting of: N-2-mercaptopropionylglycine, N-acetylcysteine, glutathione, dimethyl thiourea, desferrioxamine, mannitol, .alpha.-tocopherol, ascorbate, allopurinol, 21-aminosteroids, ***calpain*** inhibitors, glutamate receptor antagonists, tissue plasminogen activator, streptokinase, urokinase, nonsteroidal anti-inflammatory agent, cortisone, and carotenoids. Antioxidant salen-Mn complexes may also. . .

ANSWER 9 OF 26 USPATFULL on STN

SESSION NUMBER: 1999:166974 USPATFULL
 NAME: Cysteine protease inhibitors
 INVENTOR(S): Spruce, Lyle W., Chula Vista, CA, United States
 Gyorkos, Albert C., Westminster, CO, United States
 Cheronis, John C., Conifer, CO, United States
 Goodfellow, Val S., Tucson, AZ, United States
 Leimer, Axel H., Westborough, MA, United States
 Young, John M., Redwood City, CA, United States
 Gerrity, James Ivan, Albany, OR, United States
 ENT ASSIGNEE(S): Cortech Inc., Bedminster, NJ, United States (U.S. corporation)

	NUMBER	KIND	DATE	
ENT INFORMATION:	US 6004933		19991221	<--
LICATION INFO.:	US 1998-65258		19980423 (9)	

	NUMBER	DATE
ORITY INFORMATION:	US 1997-44819P	19970425 (60)
MUMENT TYPE:	Utility	
E SEGMENT:	Granted	
MARY EXAMINER:	Richter, Johann	
INSTANT EXAMINER:	Solola, Taofiq A.	
AL REPRESENTATIVE:	Dechert Price & Rhoads	
BER OF CLAIMS:	146	
MPLARY CLAIM:	1	
BER OF DRAWINGS:	4 Drawing Figure(s); 3 Drawing Page(s)	
E COUNT:	2591	

INDEXING IS AVAILABLE FOR THIS PATENT.

US 6004933 19991221 <--
 . . . comprise a family of intracellular cysteine proteases which are ubiquitously expressed in mammalian tissues. Three major calpains have been identified: ***calpain*** I and II, and p94. The ***calpain*** family of cysteine proteases has been implicated in many diseases and disorders, including stroke, neurodegeneration, such as Alzheimer's disease, amyotrophy and motor neuron damage; acute central nervous system injury, muscular dystrophy, bone resorption, platelet aggregation, cataracts and inflammation. ***Calpain*** I has been implicated in excitatory amino-acid induced neurotoxicity disorders including ischemia, hypoglycemia and epilepsy. The cysteine protease p94, a muscle-specific member of the ***calpain*** family, has been identified as a gene product responsible for limb girdle muscular dystrophy (Barrett A. J., et al. ICOP).

Where Z is a ***calpain*** binding moiety, preferably R₁ is benzyl optionally substituted with alkoxy; H₁ NC(=O)R₂ + NH₁ NHCH₁ CH₂ CH₂ --; --R'--C(=O)R₃ NH₁ NH₂; --R'--NHC(=O)R₄ + . . .

TABLE I

cysteine proteases and exemplary recognition elements.

cysteine
 tease P1 P2 Other Reference

Calpain I and II
 large hydrophobic
 Leu, bulky 18
 e.g. Nva, Phe, Abu

aliphatic, hPhe

Calpain I
 Arg or Arg-
 t-butyl-Gly, Leu, 38
 mimetic, Lys, Tyr,

ain Val, Nle, Tyr(O-Bz), Leu, Abu, Phe
ain hPhe,. . .
D . . . alpha., .beta. and .gamma.) (rice), bromelain (including stem-and fruit bromelain), ficin, thaumatopain (Thaumatococcus); gingipain R and gingipain K; calpains, including ***calpain*** (Schistosoma), ***calpain*** I, ***calpain*** II, ***calpain*** p94, calcium-binding protein PMP41, sol gene product (Drosophila); streptopain and cysteine endopeptidase (Porphyromonas); picomain 2A, picornain 3C, apothovirus endopeptidase, cardiovirus. . .
D . . . associated syndromes--septic shock (including Gram-negative sepsis), HIV infection and AIDS, genital herpes, zoster, chickenpox, EBV infections and encephalitis, CMV-choreoretinitis or encephalitis, ***cytomegalovirus*** infections in neonates (including related pneumonitis), opportunistic infections in immunocompromised individuals (including AIDS and transplant patients), dysentery, hepatitis C, hepatitis. . .

colon, kidney; osteo-, (1990); Gordon, Seminars in chondro-, and liposarcoma; Thrombosis and Hemostasis, neuroblastoma; melanoma; 18:424-433 (1992) nonlymphocytic leukemia; lymphocytic leukemia)
Calpain I and II Osteoporosis, stroke, CNS Karlsson, et al., Neurobiology injury, Alzheimer's disease of Aging, 16:901-906 (1995); Additionally, diseases involving Squier, et al., J. Cell. dysregulated apoptosis as listed Physiol., 159:229-237 for caspase above. (1994).

Calpain p94 Muscular dystrophy ***Calpain*** p94 and Limb-girdle muscular dystrophy, ICOP Letters 1996.

atitis C Virus Hepatitis C Grakoui, et al., Proc. Nat. opeptidase 2 and Acad.. . .

What is claimed is:
15. An inhibitor of claim 10 wherein Z is a ***calpain*** binding moiety.

109. A method of inhibiting the enzymatic activity of a ***calpain*** cysteine protease comprising contacting a protease with an inhibitory amount of a compound of claim 15.

ANSWER 10 OF 26 USPATFULL on STN
ESSION NUMBER: 1999:155518 USPATFULL
LE: Viral production process
ENTOR(S): Giroux, Daniel D., La Jolla, CA, United States
Goudreau, Ann M., San Diego, CA, United States
Ramachandra, Muralidhara, San Diego, CA, United States
Shabram, Paul W., Olivenhain, CA, United States
ENT ASSIGNEE(S): Canji, Inc., San Diego, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
ENT INFORMATION:	US 5994134		19991130	<--
LICATION INFO.:	US 1998-73076		19980504 (9)	
UMENT TYPE:	Utility			
E SEGMENT:	Granted			
MARY EXAMINER:	Stucker, Jeffrey			
AL REPRESENTATIVE:	Murphy, Richard B.			
BER OF CLAIMS:	17			
MPLARY CLAIM:	1			
BER OF DRAWINGS:	3 Drawing Figure(s); 3 Drawing Page(s)			
E COUNT:	1005			
INDEXING IS AVAILABLE FOR THIS PATENT.				
US 5994134 19991130 <--				

vectors containing a DNA sequence encoding p53 under control of the ***cytomegalovirus*** promoter region and the tripartite leader sequence having E3 under control of the CMV promoter and deletion of E4 coding.

ETD . . . to the serum free media which down-regulate or inhibit the transgene promoter. For example, when the transgene promoter is the ***cytomegalovirus*** early promoter (CMV), elements such as neuramidase or tunicamycin may be added to suppress the CMV promoter during the culture.

ETD . . . transgene expression but should not materially interfere with the expression of viral genes essential to viral replication. For example, the ***cytomegalovirus*** major immediate early promoter is a promoter commonly used to constitutively drive transgene expression. This promoter contains binding sites for . . .

ETD . . . invention provides a method to increase the infectivity of producer cell lines for viral infectivity by the inclusion of a ***calpain*** inhibitor. Examples of ***calpain*** inhibitors useful in the practice of the present invention include ***calpain*** inhibitor 1 (also known as N-acetyl-leucyl-leucyl-norleucinal, commercially available from Boehringer Mannheim). ***Calpain*** inhibitor 1 was observed to increase the infectivity of producer cell lines to recombinant adenovirus.

6 ANSWER 11 OF 26 USPATFULL on STN

CESSION NUMBER: 1999:137014 USPATFULL
TITLE: Vesicle transport related protein
INVENTOR(S): Lal, Preeti, Santa Clara, CA, United States
Corley, Neil C., Mountain View, CA, United States
Shah, Purvi, Sunnyvale, CA, United States
PATENT ASSIGNEE(S): Incyte Pharmaceuticals, Inc., Palo Alto, CA, United States (U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 5976865 19991102 <--
APPLICATION INFO.: US 1997-984172 19971203 (8)

DOCUMENT TYPE: utility
FILE SEGMENT: Granted

PRIMARY EXAMINER: Johnson, Nancy A.

LEGAL REPRESENTATIVE: Incyte Pharmaceuticals, Inc.

NUMBER OF CLAIMS: 10

XEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 7 Drawing Figure(s); 7 Drawing Page(s)

PATENT COUNT: 2242

PATENT INFORMATION IS AVAILABLE FOR THIS PATENT.

I US 5976865 19991102 <--

ETD . . . number of selection systems may be used to recover transformed cell lines. These include, but are not limited to, the ***herpes*** ***simplex*** virus thymidine kinase genes (Wigler, M. et al. (1977) Cell 11:223-32) and adenine phosphoribosyltransferase genes (Lowy, I. et al. (1980)). . .

ETD . . . a modifier of the spectrin-binding activity of ankyrin. In particular, cleavage of the ANK1 region from mouse erythrocyte ankyrin by ***calpain*** reduces spectrin-binding activity of the remaining 195 kDa fragment about 8-fold (Hall, T. G. and V. Bennett (1987) J. Biol. Chem. 262:10537-45). VTRP activity is therefore measured by comparing the spectrin-binding activity of the 195 kDa ***calpain*** fragment with a chimeric recombinant protein containing VTRP integrated with the 195 kDa ***calpain*** fragment. Spectrin binding is measured by incubating the VTRP recombinant protein or 195 kDa fragment with radiolabeled-.sup.14 C-spectrin together in. . .

6 ANSWER 12 OF 26 USPATFULL on STN

CESSION NUMBER: 1999:102423 USPATFULL
TITLE: Method for making non-crosslinked protein particles for therapeutic and diagnostic use
INVENTOR(S): Yen, Richard C. K., Glendora, CA, United States
PATENT ASSIGNEE(S): Hemosphere, Inc., Irvine, CA, United States (U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 5945033 19990831 <--

APPLICATION INFO.: US 1996-747137 19961112 (8)

RELATED APPLN. INFO.: Continuation of Ser. No. US 1994-212546, filed on 14 Mar 1994, now patented, Pat. No. US 5616311 which is a

on 1 Jun 1993, now abandoned And Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat. No. US 5308620 which is a continuation-in-part of Ser. No. US 1991-641720, filed on 15 Jan 1991, now abandoned

DOCUMENT TYPE:

ILE SEGMENT:

RIMARY EXAMINER:

SSISTANT EXAMINER:

EGAL REPRESENTATIVE:

UMBER OF CLAIMS:

XEMPLARY CLAIM:

INE COUNT:

AS INDEXING IS AVAILABLE FOR THIS PATENT.

I US 5945033 19990831

<--

ETD ***Calpain*** Inhibitor I

ETD ***Calpain*** Inhibitor II

ETD ***Calpain*** Inhibitor Peptide

ETD . . . double stranded), cloning vectors, coliphage DNA, lambda phage DNA, M13 DNA, Adenovirus DNA, phi-X 174 phage DNA, Simian virus DNA, ***cytomegalovirus*** DNA, Epstein-Barr Virus genes, ***Herpes*** ***Simplex*** genes, ribosomal RNA, human DNA and RNA; Genes coding for ribozymes; genes coding for antibiotics (e.g., ampicillin, chloramphenicol, cycloserine, gentamycin, . . .

6 ANSWER 13 OF 26 USPATFULL on STN

CCESSION NUMBER: 1999:81758 USPATFULL

ITLE: Non-activated receptor complex proteins and uses thereof

NVENTOR(S): Davis, Roger J., Princeton, MA, United States

ATENT ASSIGNEE(S): Galcheva-Gargova, Zoya, Worcester, MA, United States

ATENT ASSIGNEE(S): University of Massachusetts, Boston, MA, United States (U.S. corporation)

NUMBER	KIND	DATE
US 5925566		19990720
US 1997-870518		19970606 (8)

<--

NUMBER	DATE
US 1996-19219P	19960606 (60)

RIORITY INFORMATION:

OCUMENT TYPE:

ILE SEGMENT:

RIMARY EXAMINER: Campbell, Bruce R.

SSISTANT EXAMINER: Nguyen, Dave Trong

EGAL REPRESENTATIVE: Fish & Richardson, P.C.

UMBER OF CLAIMS: 23

XEMPLARY CLAIM: 1

UMBER OF DRAWINGS: 22 Drawing Figure(s); 18 Drawing Page(s)

INE COUNT: 2438

AS INDEXING IS AVAILABLE FOR THIS PATENT.

I US 5925566 19990720

<--

ETD . . . interaction. In initial experiments, we examined the effect of proteolytic cleavage of the COOH terminus of the EGF receptor with ***calpain*** as follows. ***Calpain*** cleavage of the EGF receptors was performed by harvesting cells in lysis buffer without EDTA, PMSF, leupeptin, and aprotinin [Gregoriou. . . at 4.degree. C., and standard binding assays were performed as described herein. We found that both the wild-type and the ***calpain*** -cleaved EGF receptor bound to the ZPR1 zinc fingers.

ETD Since the major sites of ***calpain*** -cleavage of the EGF receptor are Gln.sup.996 and Asp.sup.1059 [Gregoriou et al., Eur. J. Biochem. 223, 455 (1994)], we concluded that. . .

ETD For gene therapy, ZPR1 cDNA expression is directed from any suitable promoter (e.g., the human ***cytomegalovirus***, simian virus 40, or metallothionein promoters), and its production is regulated by any desired mammalian regulatory element. For example, if. . .

6 ANSWER 14 OF 26 USPATFULL on STN

CCESSION NUMBER: 1999:36949 USPATFULL

ITLE: Engineering oral tissues

NVENTOR(S): Mooney, David J., Ann Arbor, MI, United States

ATENT ASSIGNEE(S): Rutherford, Robert B., Ann Arbor, MI, United States

ATENT ASSIGNEE(S): The Regents of the University of Michigan, Ann Arbor, MI, United States (U.S. corporation)

PATENT INFORMATION: US 5885829 19990323 <--
 APPLICATION INFO.: US 1997-864494 19970528 (8)

	NUMBER	DATE	
PRIORITY INFORMATION:	US 1996-18450P	19960528 (60)	
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Degen, Nancy		
CGRAL REPRESENTATIVE:	Arnold, White & Durkee		
NUMBER OF CLAIMS:	109		
EMPLAIREY CLAIM:	1		
NUMBER OF DRAWINGS:	17 Drawing Figure(s); 11 Drawing Page(s)		
LINE COUNT:	8001		
AS INDEXING IS AVAILABLE FOR THIS PATENT.			
	US 5885829	19990323 <--	
TD	. . . shown to prevent apoptosis and cell cycle effects induced by camptothecin and topotecan in HL-60 cells (Traganos et al., 1993). ***Calpain*** inhibitor I inhibits apoptosis in thymocytes and metamyelocytes (Squier et al., 1994), while leupeptin, ***calpain*** inhibitor II and the E64 class of serine protease inhibitors have also been shown to inhibit activation-induced programmed cell death. . .		
TD	. . . cleavage in thymocytes without the involvement of endonucleases (Cain et al., 1994). The cysteine protease inhibitors E64 and leupeptin, the ***calpain*** selective inhibitor acetyl-leucyl-leucyl-normethionyl, and the serine protease inhibitors disopropylfluorophosphate and phenylmethylsulfonyl fluoride were all shown to selectively block T-cell receptor-triggered. . .		
TD	In various other embodiments, the human ***cytomegalovirus*** (CMV) immediate early gene promoter, the SV40 early promoter and the Rous sarcoma virus long terminal repeat can be used. . .		
TD	. . . 1988; Rowen et al., 1988; Berkhout et al., 1989; Laspia et al., 1989; Sharp and Marciak, 1989; Braddock et al., 1989		
	Cytomegalovirus Weber et al., 1984; Boshart et al., 1985; Foecking and Hofstetter, 1986		
	bon Ape Leukemia Virus Holbrook et al., 1987; Quinn.		
TD	. . . Weber, Jahn, Dorsch-Hasler, Fleckenstein, and Schaffner, "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human ***Cytomegalovirus***," Cell, 41:521, 1985.		
TD	Squier, M. K., Miller, A. C., Malkinson, A. M. and Cohen, J. J., " ***Calpain*** activation in apoptosis," J. Cell. Physiol. 159:229-237, 1994.		
ANSWER 15 OF 26 USPATFULL on STN			
CESSION NUMBER:	1998:138941 USPATFULL		
ITLE:	Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease		
VENTOR(S):	Malfroy-Camine, Bernard, Arlington, MA, United States		
TENT ASSIGNEE(S):	Doctrow, Susan Robin, Roslindale, MA, United States Eukarion, Inc., Bedford, MA, United States (U.S. corporation)		
	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5834509	19981110 <--	
PLICATION INFO.:	US 1995-479697	19950607 (8)	
LATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1995-380731, filed on 26 Jan 1995 which is a continuation-in-part of Ser. No. US 1992-987474, filed on 7 Dec 1992, now patented, Pat. No. US 5403834		
PRIORITY INFORMATION:	WO 1993-US11857	19931206	
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	Granted		
PRIMARY EXAMINER:	Jarvis, William R. A.		
CGRAL REPRESENTATIVE:	Townsend and Townsend and Crew LLP		
NUMBER OF CLAIMS:	5		
EMPLAIREY CLAIM:	1		
NUMBER OF DRAWINGS:	28 Drawing Figure(s); 19 Drawing Page(s)		
LINE COUNT:	3384		

I US 5834509 19981110 <--
UMM . . . effects in treating systemic lupus erythematosus, Crohn's
disease, gastric ulcers, oxygen toxicity, burned patients, renal failure
attendant to transplantation, and ***herpes*** ***simplex***
infection.
UMM . . . (3) one or more oxyradical inhibitors, such as desferrioxamine
or allopurinol, and/or one or more biological modifier agents, such as
calpain inhibitors. The formulations of these compositions is
dependent upon the specific pathological condition sought to be treated
or prevented, the . . .
ETD . . . active ingredients, typically selected from the group
consisting of: N-2-mercaptopropionylglycine, N-acetylcysteine,
glutathione, dimethyl thiourea, desferrioxamine, mannitol,
.alpha.-tocopherol, ascorbate, allopurinol, 21-aminosteroids,
calpain inhibitors, glutamate receptor antagonists, tissue
plasminogen activator, streptokinase, urokinase, nonsteroidal
anti-inflammatory agent, cortisone, and carotenoids. Antioxidant
salen-Mn complexes may also. . .

6 ANSWER 16 OF 26 USPATFULL on STN
CCESSION NUMBER: 1998:134999 USPATFULL
TITLE: Methods for the treatment of bone resorption disorders,
including osteoporosis
INVENTOR(S): Gelb, Bruce D., Dobbs Ferry, NY, United States
Chapman, Harold, Newton, MA, United States
Desnick, Robert J., New York, NY, United States
ATENT ASSIGNEE(S): Mount Sinai School of Medicine of the City of New York,
New York, NY, United States (U.S. corporation)
Brigham and Women's Hospital, Boston, MA, United States
(U.S. corporation)

	NUMBER	KIND	DATE	
ATENT INFORMATION:	US 5830850		19981103	<--
PPPLICATION INFO.:	US 1996-704473		19960828 (8)	
OCUMENT TYPE:		Utility		
ILE SEGMENT:		Granted		
RIMARY EXAMINER:	Marschel, Ardin H.			
EGL REPRESENTATIVE:	Pennie & Edmonds LLP			
NUMBER OF CLAIMS:	5			
XEMPLARY CLAIM:	1			
NUMBER OF DRAWINGS:	7 Drawing Figure(s); 6 Drawing Page(s)			
INE COUNT:	2434			

AS INDEXING IS AVAILABLE FOR THIS PATENT.
I , US 5830850 19981103 <--
ETD . . . Science 244:1288-1292; Capecchi, 1989, Trends in Genet.
5:70-76). Utilizing the PNS method, nonhomologous recombinants are
selected against by using the ***Herpes*** ***Simplex*** virus
thymidine kinase (HSV-TK) gene and selecting against its nonhomologous
insertion with herpes drugs such as gancyclovir or FIAU. By. . .
ETD . . . is notable that another genetic disorder (limb-girdle muscular
dystrophy Type 2A) caused by the deficiency of a neutral cysteine
protease, ***calpain*** 3, was recently identified in which
presumably related families on a small island had different mutations
(Richard, I et al., 1995, Cell 81:27-40). ***Calpain*** 3 belongs to
a family of calpains, analogous to the cathepsin family. The finding of
multiple mutations in ***Calpain*** 3 suggested to Richard et al.
that a "digenic" model in which only in the presence of specific alleles
at a permissive second locus (e.g., a compensatory, partially redundant,
regulatory, or modifier gene) will there be expression of
calpain mutations. Since one would need mutations at both loci
to be affected, the disease prevalence would remain low. By analogy,. . .

6 ANSWER 17 OF 26 USPATFULL on STN
CCESSION NUMBER: 1998:131743 USPATFULL
TITLE: Synthetic catalytic free radical scavengers useful as
antioxidants for prevention and therapy of disease
INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States
Doctrow, Susan Robin, Roslindale, MA, United States
ATENT ASSIGNEE(S): Eukarion, Inc., Bedford, MA, United States (U.S.
corporation)

	NUMBER	KIND	DATE	
ATENT INFORMATION:	US 5827880		19981027	<--

LATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1992-987474, filed on 7 Dec 1992, now patented, Pat. No. US 5403834
CUMENT TYPE: Utility
LE SEGMENT: Granted
IMARY EXAMINER: Nazario-Gonzalez, Porfirio
GAL REPRESENTATIVE: Townsend and Townsend and Crew LLP
MBER OF CLAIMS: 13
EMPLARY CLAIM: 1,12
MBER OF DRAWINGS: 28 Drawing Figure(s); 19 Drawing Page(s)
NE COUNT: 3241

S INDEXING IS AVAILABLE FOR THIS PATENT.

US 5827880 19981027 <--
MM . . . effects in treating systemic lupus erythematosus, Crohn's disease, gastric ulcers, oxygen toxicity, burned patients, renal failure attendant to transplantation, and ***herpes*** ***simplex*** infection.

MM . . . (3) one or more oxyradical inhibitors, such as desferrioxamine or allopurinol, and/or one or more biological modifier agents, such as ***calpain*** inhibitors. The formulations of these compositions is dependent upon the specific pathological condition sought to be treated or prevented, the. . .

TD . . . active ingredients, typically selected from the group consisting of: N-2-mercaptopropionylglycine, N-acetylcysteine, glutathione, dimethyl thiourea, desferrioxamine, mannitol, .alpha.-tocopherol, ascorbate, allopurinol, 21-aminosteroids, ***calpain*** inhibitors, glutamate receptor antagonists, tissue plasminogen activator, streptokinase, urokinase, nonsteroidal anti-inflammatory agent, cortisone, and carotenoids. Antioxidant salen-Mn complexes may also. . .

ANSWER 18 OF 26 USPATFULL on STN

CESSION NUMBER: 1998:58182 USPATFULL
TITLE: Lactacystin analogs
VENTOR(S): Fenteany, Gabriel, Cambridge, MA, United States
Jamison, Timothy F., Cambridge, MA, United States
Schreiber, Stuart L., Boston, MA, United States
STANDAERT, Robert F., Arlington, MA, United States
TENT ASSIGNEE(S): President and Fellows of Harvard College, Cambridge, MA, United States (U.S. corporation)

NUMBER	KIND	DATE
--------	------	------

TENT INFORMATION: US 5756764 19980526 <--
PLICATION INFO.: US 1995-466468 19950606 (8)
LATED APPLN. INFO.: Division of Ser. No. US 1995-421583, filed on 12 Apr 1995

CUMENT TYPE: Utility
LE SEGMENT: Granted
IMARY EXAMINER: Richter, Johann
SISTANT EXAMINER: Stockton, Laura L.
GAL REPRESENTATIVE: Fish & Richardson P.C.
MBER OF CLAIMS: 16
EMPLARY CLAIM: 1
NE COUNT: 2392

S INDEXING IS AVAILABLE FOR THIS PATENT.

US 5756764 19980526 <--
MM The compounds disclosed herein are highly selective for the proteasome, and do not inhibit other proteases such as trypsin, .alpha.-chymotrypsin, ***calpain*** I, ***calpain*** II, papain, and cathepsin B.

MM . . . the X/MB1 subunit and .alpha.-chain of the proteasome and do not inhibit the activity of proteases such as trypsin, .alpha.-chymotrypsin, ***calpain*** I, ***calpain*** II, cathepsin, and papain. Such selectivity is useful to formulate a pharmaceutical composition with fewer side effects and to evaluate. .

MM Other eukaryotic transcription factors that require proteolytic processing include the general transcription factor TFIIB, ***herpes*** ***simplex*** virus VP16 accessory protein (host cell factor), virus-inducible IFN regulatory factor 2 protein, and the membrane-bound sterol regulatory element-binding protein. . .
TDmu.M Suc-LLVY-AMC for fluorescence assay); Trypsin: 10 mM Tris-HCl, pH 8, 20 mM CaCl₂.sub.2 (plus 100 .mu.M Cbz-GGR-.beta.NA for assay); ***Calpain*** I: 20 mM Tris-HCl, pH 8, 1 mM CaCl₂.sub.2, 1 mM DTT (plus 100 .mu.M Suc-LLVY-AMC for assay); ***Calpain*** II: 20 mM Tris-HCl, pH 8, 10 mM CaCl₂.sub.2, 1 mM DTT (plus 100 .mu.M Suc-LLVY-AMC

Inhibition of other Proteases
 Effect of Lactacystin (100
 protease tested
 .mu.M)

alpha.-Chymotrypsin	No inhibition
rypsin	No inhibition
Calpain I	No inhibition
Calpain II	No inhibition
apain	No inhibition
athepsin B	No inhibition

ETD . . . containing the human p105 cDNA. Forty-eight hrs after transfection, cells were pretreated for 1 hour with 0.5% DMSO, 50 .mu.M ***calpain*** inhibitor II, 50 .mu.M MG132, or 10 .mu.M .beta.-lactone. Cells were then pulse labelled with 250 uCi/plate of .sup.35 S-methionine/cysteine.

ETD . . . apparent, as was expected (Fan and Maniatis, 1991, Nature 354:395; Palombella et al., 1994, Cell 78:773). Pretreatment of cells with ***calpain*** inhibitor II has no effect on the processing of p105 to p50 (lane 4). However, treatment of cells with the . . .

6 ANSWER 19 OF 26 USPATFULL on STN
 CCESSION NUMBER: 1998:57716 USPATFULL
 ITLE: Aptamers specific for biomolecules and methods of making
 NVENTOR(S): Griffin, Linda, Atherton, CA, United States
 Albrecht, Glenn, Redwood City, CA, United States
 Latham, John, Palo Alto, CA, United States
 Leung, Lawrence, Hillsborough, CA, United States
 Vermaas, Eric, Oakland, CA, United States
 Toole, John J., Burlingame, CA, United States
 ATENT ASSIGNEE(S): Gilead Sciences, Inc., Foster City, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE
ATENT INFORMATION:	US 5756291	19980526	<--
PPLICATION INFO.:	US 1995-484192	19950607 (8)	
ELATED APPLN. INFO.:	Continuation of Ser. No. US 1992-934387, filed on 21 Aug 1992, now abandoned		

OCUMENT TYPE:	Utility
ILE SEGMENT:	Granted
RIMARY EXAMINER:	Zitomer, Stephanie W.
EGL REPRESENTATIVE:	Bosse, Mark L.
UMBER OF CLAIMS:	12
XEMPLARY CLAIM:	1
UMBER OF DRAWINGS:	6 Drawing Figure(s); 6 Drawing Page(s)
INE COUNT:	8242

AS INDEXING IS AVAILABLE FOR THIS PATENT.

I US 5756291	19980526	<--
ETD . . . (HA)		

euraminidase (NA)

ucleoprotein (NP)

1 and M2 proteins

S1 and NS2 proteins

epatitis B

nvelope (surface antigen) proteins (including pre-S1, re-S2 and S)

ucleocapsid (core) proteins

-gene product

-gene product

Cytomegalovirus

mmediate early (alpha) gene products (including IE1 and E2)

arly (beta) gene products (including DNA pol p140, DBP52

DBP 140)

ate (gamma) structural gene products

Herpes ***Simplex*** Virus

ymidine kinase

ribonucleotide reductase

virus-encoded envelope glycoproteins

pstein-Barr virus

RLF1 protein)
early gene products (including SMLF1, MRF1, ALF2, . . . synthase
alanine aminotransferase
alcohol dehydrogenase
aldolase
adose reductase
alkaline phosphatase
amidophosphodbosylanine transferase
AMP phosphodiesterase
amyloid b/A4 protein
amyloid precursor protein
ankarin
arginase
argininosuccinate lyase
argininosuccinate synthetase
aromatase
aryl sulfatase
aspartate aminotransferase
aspartate transcarbamoylase
ATP diphosphohydrolase
ATPase
b-actin
b-glucuronidase
b-glycerophosphatase
b-ketoacyl-ACP reductase
b-ketoacyl-ACP synthetase
b-spectrin
b-tropomyosin
b-tubulin
C5a inactivation factor
calcitoin
calmodulin
calpain I
calreticulin
carbamoyl-phosphate synthetase
carbonic anhydrase
casein kinase 1
casein kinase 2
catalase
catechol methyltransferase
cathepsin
cathepsin B and L
cdc 2 p34
cdc 10
cdc 13 p60
cdc 25 p80
chaperonin
cholesterol esterase
cholesterol monooxygenase
citrate. . .

L6 ANSWER 20 OF 26 USPATFULL on STN
ACCESSION NUMBER: 1998:24868 USPATFULL
TITLE: Non-crosslinked protein particles for therapeutic and diagnostic use
INVENTOR(S): Yen, Richard C. K., Yorba Linda, CA, United States
PATENT ASSIGNEE(S): Hemosphere, Inc., Irvine, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5725804		19980310	<--
APPLICATION INFO.:	US 1995-471650		19950606 (8)	
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1994-212546, filed on 14 Mar 1994, now patented, Pat. No. US 5616311 which is a continuation-in-part of Ser. No. US 1993-69831, filed on 1 Jun 1993, now abandoned And Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat. No. US 5308620 which is a continuation-in-part of Ser. No. US 1991-641720, filed on 15 Jan 1991, now abandoned			

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Lovering, Richard D.
LEGAL REPRESENTATIVE: Townsend & Townsend & Crew
NUMBER OF CLAIMS: 11
EXEMPLARY CLAIM: 1

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

PI US 5725804 19980310

<--

DETD ***Calpain*** Inhibitor I

DETD ***Calpain*** Inhibitor II

DETD ***Calpain*** Inhibitor Peptide

DET . . . double stranded), cloning vectors, coliphage DNA, lambda phage DNA, M13 DNA, Adenovirus DNA, phi-X 174 phage DNA, Simian virus DNA, ***cytomegalovirus*** DNA, Epstein-Barr Virus genes, ***Herpes*** ***Simplex*** genes, ribosomal RNA, human DNA and RNA; Genes coding for ribozymes; genes coding for antibiotics (e.g., ampicillin, chloramphenicol, cycloserine, gentamycin, . . .

L6 ANSWER 21 OF 26 USPATFULL on STN

ACCESSION NUMBER: 97:115268 USPATFULL

TITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease

INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States

Doctrow, Susan Robin, Roslindale, MA, United States

PATENT ASSIGNEE(S): Eukarion, Inc., Bedford, MA, United States (U.S. corporation)

NUMBER KIND DATE

US 5696109 19971209 <--

US 1995-485489 19950607 (8)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1995-380731, filed on 26 Jan 1995 which is a continuation-in-part of Ser. No. US 1992-987474, filed on 7 Dec 1992, now patented, Pat. No. US 5403834

NUMBER DATE

PRIORITY INFORMATION: WO 1993-US11857 19931206

DOCUMENT TYPE: Utility

FILE SEGMENT: Granted

PRIMARY EXAMINER: Jarvis, William R. A.

LEGAL REPRESENTATIVE: Townsend and Townsend and Crew LLP

NUMBER OF CLAIMS: 14

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 28 Drawing Figure(s); 19 Drawing Page(s)

LINE COUNT: 3441

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

PI US 5696109 19971209 <--

SUMM . . . effects in treating systemic lupus erythematosus, Crohn's disease, gastric ulcers, oxygen toxicity, burned patients, renal failure attendant to transplantation, and ***herpes*** ***simplex*** infection.

SUMM . . . (3) one or more oxyradical inhibitors, such as desferrioxamine or allopurinol, and/or one or more biological modifier agents, such as ***calpain*** inhibitors. The formulations of these compositions is dependent upon the specific pathological condition sought to be treated or prevented, the . . .

DETD . . . active ingredients, typically selected from the group consisting of: N-2-mercaptopropionylglycine, N-acetylcysteine, glutathione, dimethyl thiourea, desferrioxamine, mannitol, .alpha.-tocopherol, ascorbate, allopurinol, 21-aminosteroids, ***calpain*** inhibitors, glutamate receptor antagonists, tissue plasminogen activator, streptokinase, urokinase, nonsteroidal anti-inflammatory agent, cortisone, and carotenoids. Antioxidant salen-Mn complexes may also. . .

L6 ANSWER 22 OF 26 USPATFULL on STN

ACCESSION NUMBER: 97:26904 USPATFULL

TITLE: Non-crosslinked protein particles for therapeutic and diagnostic use

INVENTOR(S): Yen, Richard C. K., Glendora, CA, United States

PATENT ASSIGNEE(S): Hemosphere, Inc., Irvine, CA, United States (U.S. corporation)

NUMBER KIND DATE

US 5616311 19970401 <--

US 1994-212546 19940314 (8)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1993-69831, filed on 1 Jun 1993, now abandoned And Ser. No. US 1992-959560, filed on 13 Oct 1992, now patented, Pat.

DOCUMENT TYPE: No. US 1991-641720, filed on 15 Jan 1991, now abandoned
FILE SEGMENT: Utility
PRIMARY EXAMINER: Granted
LEGAL REPRESENTATIVE: Lovering, Richard D.
NUMBER OF CLAIMS: Townsend & Townsend & Crew
EXEMPLARY CLAIM: 26
LINE COUNT: 1,26
2585

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

PI US 5616311 19970401

<--

DETD ***Calpain*** Inhibitor I

DETD ***Calpain*** Inhibitor II

DETD ***Calpain*** Inhibitor Peptide

DET . . . double stranded), cloning vectors, coliphage DNA, lambda phage DNA, M13 DNA, Adenovirus DNA, phi-X 174 phage DNA, Simian virus DNA, ***cytomegalovirus*** DNA, Epstein-Bart Virus genes, ***Herpes*** ***Simplex*** genes, ribosomal RNA, human DNA and RNA; Genes coding for ribozymes; genes coding for antibiotics (e.g., ampicillin, chloramphenicol, cycloserine, gentamycin,.. . .

L6 ANSWER 23 OF 26 USPATFULL on STN

ACCESSION NUMBER: 95:29636 USPATFULL

TITLE: Synthetic catalytic free radical scavengers useful as antioxidants for prevention and therapy of disease

INVENTOR(S): Malfroy-Camine, Bernard, Arlington, MA, United States

Baudry, Michel, Long Beach, CA, United States

PATENT ASSIGNEE(S): Eukarion, Inc., Arlington, MA, United States (U.S. corporation)

NUMBER KIND DATE

US 5403834 19950404

<--

US 1992-987474 19921207 (7)

PATENT INFORMATION:

APPLICATION INFO.:

DOCUMENT TYPE:

FILE SEGMENT: Utility

PRIMARY EXAMINER: Granted

ASSISTANT EXAMINER: Henley, III, Raymond

LEGAL REPRESENTATIVE: Criares, T. J.

NUMBER OF CLAIMS: Dunn, Tracy J.

EXEMPLARY CLAIM: 6

NUMBER OF DRAWINGS: 1

LINE COUNT: 1742

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

PI US 5403834 19950404

<--

SUMM . . . effects in treating systemic lupus erythematosus, Crohn's disease, gastric ulcers, oxygen toxicity, burned patients, renal failure attendant to transplantation, and ***herpes*** ***simplex*** infection.

SUMM . . . (3) one or more oxyradical inhibitors, such as desferrioxamine or allopurinol, and/or one or more biological modifier agents, such as ***calpain*** inhibitors. The formulations of these compositions is dependent upon the specific pathological condition sought to be treated or prevented, the. . .

DET . . . active ingredients, typically selected from the group consisting of: N-2-mercaptopropionylglycine, N-acetylcysteine, glutathione, dimethyl thiourea, desferrioxamine, mannitol, .alpha.-tocopherol, ascorbate, allopurinol, 21-aminosteroids, ***calpain*** inhibitors, glutamate receptor antagonists, tissue plasminogen activator, streptokinase, urokinase, nonsteroidal anti-inflammatory agent, cortisone, and carotenoids. Antioxidant salen-Mn complexes may also. . .

L6 ANSWER 24 OF 26 USPATFULL on STN

ACCESSION NUMBER: 94:51514 USPATFULL

TITLE: Antiplatelet and antithrombotic activity of platelet glycoprotein Ib receptor fragments

INVENTOR(S): Handin, Robert, Needham, MA, United States

PATENT ASSIGNEE(S): Brigham and Women's Hospital, Boston, MA, United States (U.S. corporation)

NUMBER KIND DATE

US 5321127 19940614

<--

US 1991-670606 19910318 (7)

PATENT INFORMATION:

APPLICATION INFO.:

DOCUMENT TYPE:

FILE SEGMENT: Utility

Granted

GAL REPRESENTATIVE: Sterne, Kessler, Goldstein & Fox
MBER OF CLAIMS: 9
EMPLARY CLAIM: 1
MBER OF DRAWINGS: 10 Drawing Figure(s); 8 Drawing Page(s)
NE COUNT: 1494

S INDEXING IS AVAILABLE FOR THIS PATENT.

MM US 5321127 19940614 <-
. . . et al., Blood 67:19-26 (1986). It is cleaved from the surface
of intact platelets by various maneuvers which activate platelet
calpain, an endogenous calcium dependent protease (Fox, J. E.,
et al., J. Biol. Chem. 263:4882-4890 (1988)). Further digestion of
glycocalicin with. . .
TD . . . at the Massachusetts General Hospital, Boston Mass. to produce
pCDM8-GpIba. The CDM8 vector contains a cloning site downstream from the
cytomegalovirus promoter as well as the SV40 origin of
replication, permitting transient expression of the heterologous protein
in COS cells (Aruffo,. . .

ANSWER 25 OF 26 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
CESSION NUMBER: 1999:184941 BIOSIS
CUMENT NUMBER: PREV199900184941
TITLE: Human ***cytomegalovirus*** -activated ***calpain***
and p21Cip1 degradation in human lung fibroblasts.
THOR(S): Chen, Z.; Knutson, E.; Kurosky, A.; Liu, S.; Albrecht, T.
RPORATE SOURCE: Univ. Texas Med. Branch, Galveston, TX 77555, USA
URCE: Proceedings of the American Association for Cancer Research
Annual Meeting, (March, 1999) Vol. 40, pp. 447-448. print.
Meeting Info.: 90th Annual Meeting of the American
Association for Cancer Research. Philadelphia,
Pennsylvania, USA. April 10-14, 1999. American Association
for Cancer Research.

CUMENT TYPE: Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)

NGUAGE: English

TRY DATE: Entered STN: 5 May 1999

Last Updated on STN: 5 May 1999
Human ***cytomegalovirus*** -activated ***calpain*** and p21Cip1
degradation in human lung fibroblasts.
Proceedings of the American Association for Cancer Research Annual
Meeting, (March, 1999) Vol. 40, pp. 447-448. print.
Meeting Info.: 90th Annual Meeting of the American Association for Cancer
Research. Philadelphia, Pennsylvania, USA. April 10-14, 1999. American
Association for Cancer Research.

ISSN: 0197-016X.

Major Concepts

Tumor Biology
Parts, Structures, & Systems of Organisms
Lung fibroblasts
Chemicals & Biochemicals
calpain ; p21-Cip1: degradation

GN Classifier
Herpesviridae 03115

Super Taxa
dsDNA Viruses; Viruses; Microorganisms

Organism Name
human ***cytomegalovirus*** : pathogen

Taxa Notes
Double-Stranded DNA Viruses, Microorganisms, Viruses

GN Classifier
Hominidae 86215

Super Taxa
Primates; Mammalia; Vertebrata; Chordata; Animalia

Organism
78990-62-2 (***calpain***)

ANSWER 26 OF 26 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
CESSION NUMBER: 1993:407472 BIOSIS
CUMENT NUMBER: PREV199396073197
TITLE: Inhibition of proteolytic activity of poliovirus and
rhinovirus 2A proteinases by elastase-specific inhibitors.
THOR(S): Molla, Akhteruzzaman; Hellen, Christopher U. T.; Wimmer,
Eckard [Reprint author]
RPORATE SOURCE: Dep. Microbiol., Sch. Med., State Univ. New York at Stony
Brook, Stony Brook, NY 11794-8621, USA
URCE: Journal of Virology, (1993) vol. 67, No. 8, pp. 4688-4695.

MENT TYPE: Article
UAGE: English
Y DATE: Entered STN: 8 Sep 1993
Last Updated on STN: 6 Nov 1993
Journal of Virology, (1993) Vol. 67, No. 8, pp. 4688-4695.
CODEN: JOVIAM ISSN: 0022-538X.
. . was unchanged, an observation suggesting that this inhibitor may have formed a covalent bond with the active-site Cys-109 nucleophile. Iodoacetamide, ***calpain*** inhibitor 1, and antipain inhibited poliovirus 2A-pro. MPCMK caused a reduction in the yields of the enteroviruses poliovirus type 1. . .

Major Concepts

Enzymology (Biochemistry and Molecular Biophysics); Microbiology;
Pharmacology

Chemicals & Biochemicals

PROTEINASES; ELASTASE; ELASTATINAL; IODOACETAMIDE; ***CALPAIN*** ;
ANTIPAIN

Miscellaneous Descriptors

CORNEAL INFLAMMATION; GRANULOCYTE-MACROPHAGE COLONY STIMULATING FACTOR;
HERPES ***SIMPLEX*** VIRUS-TYPE I; INTERLEUKIN-1-ALPHA;

INTERLEUKIN-10; INTERLEUKIN-4; INTERLEUKIN-6

9001-92-7D (PROTEINASES)

9004-06-2 (ELASTASE)

51798-45-9 (ELASTATINAL)

144-48-9 (IODOACETAMIDE)

78990-62-2 (***CALPAIN***)

37691-11-5 (ANTIPAIN)

logging off of STN---

cutting the logoff script...

LOG Y

IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
ESTIMATED COST	176.82	177.24
COUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
SUBSCRIBER PRICE	-2.77	-2.77

INTERNATIONAL LOGOFF AT 13:39:02 ON 08 JUN 2004